



Ornamental and Architectural Metal

TFC

TENNESSEE FABRICATING COMPANY
1490 GRIMES MEMPHIS, TENNESSEE



...the time you place your order.

BOHNER'S WELDING SHOP
140 W. Beresford, DeLand, Fla.
Call RE 4-3881

THIS **TFC** TRADEMARK ON YOUR ORNAMENTAL

THE MOST BEAUTIFUL HOMES IN THE WORLD

... are accented with Ornamental Metals. The charm, beauty and flexibility of Ornamental Metals makes it applicable to your home no matter what the construction or period. Whether it is frame, brick, stone or stucco — English, Colonial, French or Modern, Ornamental Metal can be used.

Many Ornamental Metal designs made by Tennessee Fabricating Company are reproduced from wood carvings, preserved through the centuries. Some of these designs have romantic, historical backgrounds and lend themselves to interesting conversation pieces. The versatility of Ornamental Metal makes it practical for almost every structure. As a matter of fact the entire appearance and period of the building can be changed by simply changing the color of the Ornamental Metal.

Your local fabricator can work with TFC Designers and Engineers to create from these standard patterns just the right designs for your home.

Your builder will tell you that TFC Ornamental Metalwork costs no more than standard millwork. But, it adds an air of enchantment with its expensive look that cannot be surpassed by any other building material, no matter what it costs.

Look for the TFC Trademark on every piece of Ornamental Metal you buy. This is your assurance of **QUALITY**.

TENNESSEE FABRICATING COMPANY,

1490 GRIMES STREET, MEMPHIS, TENNESSEE

(TELEPHONE AREA CODE 901 948-3355) © 1963

From the reproduction of a simple design or a rare old masterpiece — to the creation of an entirely new decor, TFC Design Engineers are expert craftsmen. Each Ornamental Metal design and the use of the design is planned and executed for the correct use in every application, so that your ornamental metal is perfectly

planned for you. TFC Design Engineers work with you from the selection and/or creation of a pattern to the selection of finished colors.


This TFC Catalog was designed to show you the wide range of possibilities and ways you can enrich your structure by using Ornamental Metals. TFC assists fabricators, architects, builders, contractors and owners in the planning, selection and manufacture of Ornamental Metal throughout the world. Every installation of Ornamental Metal should be planned for practicability first, this includes the weight and structural stresses and its purpose. Secondly, what it will do to enhance the structure in value and beauty. Last, but not least, all Ornamental Metal installations should be a compliment to the period of architecture and to the structure.

TFC Ornamental Metals will last forever. Finishing and maintenance is important — Ornamental Metals should be finished by first using a primer coat of TFC Rustcote, to be followed by a finish coat of TFC Ornamental Metal Paint. This combination has been time tested and proven with all of the new chemicals added as they are acceptable to finishing experts. If your metalwork should get scratched, touch it up — about three or four times a year, wash it the same as you would your automobile — Repaint when you paint your home with TFC Finishes.


TFC Ornamental Metal can add that perfect finish to any building. Whether you are planning to build, remodel or redecorate, let TFC help you achieve that all important "touch."

TFC will help you to work out a well planned installation economically.

AL METAL MEANS YOU HAVE THE VERY BEST!



All TFC products are guaranteed. This guarantee is given to you in writing with complete specifications at the time you place your order.



GRAPE OR VINEYARD DESIGN

The romance of the French vineyard is captured in the Grape or Vineyard design of Ornamental Metal.


Traditionally, in centuries past, French lovers sought the seclusion of the vineyard to whisper words of tenderness and promises of eternal love. There have been songs, poems and sonnets written about the love which has blossomed in the vineyard. It was in one of these vineyards where a wealthy man proposed marriage to his lover. They conceived the idea to forever preserve these memories by having the Vineyard design carved in wood and converted to iron. From this original design many variations have been developed. Each one in some way has managed to keep a part of the original thought and beauty. The Grape or Vineyard design can be found in furniture, room dividers, decorator and architectural castings.



Alphabetical and numerical symbols are as follows:

SF - Pattern on one side.
DF - Pattern on both sides.
SBO - Backside concaved.


XXXX.0 Iron.
XXXX.2 Aluminum.
XXXX.8 Aluminum with lugs.




36" X 36" DF
No. 1060.0
No. 1060.2



8 1/8" in diameter DF
No. 1061.0
No. 1061.2
No. 1061.8



8 1/2" X 15 1/2" DF
No. 1500.0
No. 1500.2




11 1/2" X 21" DF
No. 1503.0
No. 1503.2



26 1/2" X 4 3/4" DF
No. 1501.0
No. 1501.2



27 1/2" X 6 1/8" DF
No. 1502.0
No. 1502.2



25 1/2" X 24" DF
No. 1051.0
No. 1051.2




16 3/4" X 7 5/8" SBO
No. 1504.0
No. 1504.2



6 1/2" X 20 3/4" DF
No. 1081.0
No. 1081.2
No. 1081.8



6 1/2" X 19 1/2" DF
No. 1082.0
No. 1082.2
No. 1082.8



20 1/8" X 20 1/8" DF
No. 1497.0
No. 1497.2



16 1/2" X 16 1/2" DF
No. 1091.0
No. 1091.2

9 5/8" X 20 1/2" SF
No. 1057.0
No. 1057.2
No. 1057.8

8 1/4" X 30 1/2" DF
No. 1058.0
No. 1058.2
No. 1058.8

8" X 25 7/8" DF
No. 1049.0
No. 1049.2
No. 1049.8

9 7/8" X 26 1/2" DF
No. 1078.0
No. 1078.2
No. 1078.8

8" X 22 1/4" DF
No. 1050.0
No. 1050.2
No. 1050.8

Alphabetical and numerical symbols are as follows:

SF - Pattern on one side.

DF - Pattern on both sides.

SBO - Backside concaved.

XXXX.0 Iron.

XXXX.2 Aluminum.

XXXX.8 Aluminum with lugs.



33 1/4" X 12 1/4" SBO

No. 1362.0

No. 1362.2



20 1/4" diameter SF

No. 1066.0


No. 1066.2



25 1/2" X 6 3/8" DF

No. 1052.0

No. 1052.2



6 3/4" X 12 1/4" DF

No. 1085.0

No. 1085.2



17 1/2" X 4" DF

No. 1097.0

No. 1097.2

11 1/2" X 19 3/4" DF

No. 1088.0

No. 1088.2

No. 1088.8



11 1/2" X 36 1/4" DF

No. 1089.0

No. 1089.2

No. 1089.8

6 1/4" X 23 3/4" DF

No. 1084.0

No. 1084.2

No. 1084.8

7 1/2" X 28 DF

No. 1067.0

No. 1067.2

No. 1067.8

6" X 30 1/2" DF

No. 1054.0

No. 1054.2

No. 1054.8

8 1/2" X 25 1/4" DF

No. 1087.0

No. 1087.2

No. 1087.8

4" X 23 1/2" DF

No. 1075.0

No. 1075.2

No. 1075.8



9 1/8" X 29 5/8" SBO

No. 1056.0

No. 1056.2

No. 1056.8



13" X 29 1/4" SBO

No. 1055.0

No. 1055.2

No. 1055.8



12 3/4" X 26 1/4" DF

No. 1068.0

No. 1068.2

No. 1068.8



8 1/8" X 28 1/4" DF

No. 1100.0

No. 1100.2

No. 1100.8



8" X 9" DF

No. 1096.0

No. 1096.2

No. 1096.8



11 1/2" X 21 1/2" DF

No. 1090.0


No. 1090.2

No. 1090.8

Alphabetical and numerical symbols are as follows:

SF - Pattern on one side.
DF - Pattern on both sides.
SBO - Backside concaved.

XXXX.0 Iron.
XXXX.2 Aluminum.
XXXX.8 Aluminum with lugs.



16" X 16" DF
No. 1028.0
No. 1028.2



13 1/2" X 16 1/2" DF
No. 1287.0
No. 1287.2
No. 1287.8



8 3/4" X 28 3/4" DF
No. 1027.0
No. 1027.2



9 1/2" X 29" DF
No. 1288.0
No. 1288.2
No. 1288.8



16" X 16" DF
No. 1018.0
No. 1018.2




8 3/4" X 15 3/4" DF
No. 1017.0
No. 1017.2
No. 1017.8




9 1/4" Diameter DF
No. 1289.0
No. 1289.2
No. 1289.8

CROWN ROSE



24" X 24" DF
No. 1484.0
No. 1484.2



16" X 16" DF
No. 1483.0
No. 1483.2



8 1/4" X 14" DF
No. 1482.0
No. 1482.2
No. 1482.8



19 3/8" X 2 3/8" DF
No. 1538.0
No. 1538.2



6 5/8" X 21 5/8" DF
No. 1011.0
No. 1011.2
No. 1011.8



8" X 16 1/4" DF
No. 1111.0
No. 1111.2
No. 1111.8



5 1/2" X 4 1/2" DF
(flower dimensions)
3 5/8" stem height
No. 1569.0
No. 1569.2



7 1/2" X 8 1/4" DF
No. 1106.0
No. 1106.2
No. 1106.8



14 1/8" X 3 1/8" SF
No. 1533.0
No. 1533.2
No. 1533.8




THE MORNING GLORY GROUP

One of our most beautiful wild flowers, the Morning Glory was also one of the most complex to reproduce in cast iron. To be recognized, it was necessary to retain all of its intricate details in an almost life-size reproduction. Though of recent origin, its appearance in almost every section of the country testifies to its popularity among flower lovers.

Alphabetical and numerical symbols are as follows:

SF - Pattern on one side.
 DF - Pattern on both sides.
 SBO - Backside concaved.

XXXX.0 Iron.
 XXXX.2 Aluminum.
 XXXX.8 Aluminum with lugs.



4" X 26 1/4" SF
 (Specify "Left" or "Right")
 No. 1245.0
 No. 1245.2



9 3/4" In Diameter DF
 No. 1244.0
 No. 1244.2
 No. 1244.8



9" (diameter) SBO
 No. 1248.0




11 3/8" X 25 1/2" SBO
 No. 1247.0
 No. 1247.2
 No. 1247.8



8 7/8" X 27" SBO
 No. 1246.0
 No. 1246.2
 No. 1246.8



9 7/8" X 27 1/2" DF
 No. 1249.0
 No. 1249.2
 No. 1249.8



15" X 16 1/2" DF
 No. 1622.0
 No. 1622.2



12 5/8" X 14 1/4" DF
 No. 1457.0
 No. 1457.2
 No. 1457.8

OLD ROSE




29 3/4" X 29 1/2" SF
 No. 1123.0
 No. 1123.2



12' X 9 1/4" SBO
 No. 1351.0
 No. 1351.2



8 7/8" X 12 1/8" SBO
 No. 1132.0
 No. 1132.2



22 1/2" X 22 1/2" SF
 No. 1130.0
 No. 1130.2



8 7/8" in diameter SF
 No. 1124.0
 No. 1124.2
 No. 1124.8



8 1/2" X 22 1/4" DF
 No. 1131.0
 No. 1131.2
 No. 1131.8



13" X 28 1/2" SBO
 No. 1133.0
 No. 1133.2
 No. 1133.8



12 3/4" X 28 1/4" SBO
 No. 1125.0
 No. 1125.2
 No. 1125.8




THE OAK GROUP

The Smooth Oak, often referred to as the Acorn, also had its origin in New Orleans. This group of patterns was designed to perpetuate the leaf and pattern of the Live Oak trees of the Gulf of Mexico which were fast being destroyed by the pirate moss of the New Orleans swamps. Very popular throughout the South and East, this group blends with most periods of architecture, but is most appropriate when surrounded by trees.


Alphabetical and numerical symbols are as follows:

SF - Pattern on one side.
DF - Pattern on both sides.
SBO - Backside concaved.


XXXX.0 Iron.
XXXX.2 Aluminum.
XXXX.8 Aluminum with lugs.




32 1/4" X 32 1/4" *
No. 1030.0
No. 1030.2
2 pieces




12 1/4" X 12 1/4" *
No. 1032.0
No. 1032.2




8 1/4" X 12 1/4" *
No. 1025.0
No. 1025.2
No. 1025.8




8 1/4" X 11 1/4" *
No. 1036.0
No. 1036.2
No. 1036.8




7 3/4" X 10 3/4" DF
No. 1042.0
No. 1042.2
No. 1042.8




25 1/2" X 7 3/8" *
No. 1035.0
No. 1035.2




13 5/8" X 7 1/2" *
No. 1033.0
No. 1033.2




19 3/4" X 7 1/4" DF
No. 1038.0
No. 1038.2




24 3/4" X 24 3/4" *
No. 1026.0
No. 1026.2




25 3/8" X 4"
No. 1040.0
No. 1040.2




17" X 5" DF
No. 1046.0
No. 1046.2


22" X 22" DF
No. 1047.0
No. 1047.2
2 pieces




11 1/2" X 27 1/2" DF
No. 1043.0
No. 1043.2
No. 1043.8




19" X 19" DF
No. 1048.0
No. 1048.2




11 1/2" X 28" DF
No. 1037.0
No. 1037.2
No. 1037.8



11 5/8" X 28 1/4" *
No. 1031.0
No. 1031.2
No. 1031.8



8 1/4" X 19 3/4" *
No. 1034.0
No. 1034.2
No. 1034.8



7 3/4" X 19" DF
No. 1041.0
No. 1041.2
No. 1041.8


* Proportions and details outstanding. Acorn backed out.

SMOOTH OAK


Alphabetical and numerical symbols are as follows:

SF - Pattern on one side.
DF - Pattern on both sides.
SBO - Backside concaved.

XXXX.0 Iron.
XXXX.2 Aluminum.
XXXX.8 Aluminum with lugs.



34 1/2" X 34 1/2" SBO
No. 1202.0
No. 1202.2



21 1/2" X 21 1/2" SBO
No. 1216.0
No. 1216.2




8 5/8" X 14" SBO
No. 1208.0
No. 1208.2



12" X 26 1/8" SBO
No. 1205.0
No. 1205.2
No. 1205.8



8 1/4" X 21" SBO
No. 1204.0
No. 1204.2
No. 1204.8



25 3/4" X 6 5/8" SBO
No. 1210.0
No. 1210.2




8 3/8" X 12" SBO
No. 1206.0
No. 1206.2
No. 1206.8



25" X 4" SBO
No. 1209.0
No. 1209.2

OAK




17" X 17" DF
No. 1629.0
No. 1629.2



9" X 15" DF
No. 1023.0
No. 1023.2
No. 1023.8



8 1/4" X 14" DF
No. 1621.0
No. 1621.2
No. 1621.8



11 1/2" X 17 3/8" DF
No. 1618.0
No. 1618.2

SOUTHERN MAGNOLIA

SUNFLOWER



17 1/4" X 17 1/4" DF
No. 1019.0
No. 1019.2



7 3/4" X 28 1/2" DF
No. 1020.0
No. 1020.2
No. 1020.8



24 1/2" X 24 1/2" DF
No. 1285.0
No. 1285.2
No. 1285.8



10" X 29" DF
No. 1286.0
No. 1286.2
No. 1286.8

Alphabetical and numerical symbols are as follows:

SF - Pattern on one side.
 DF - Pattern on both sides.
 SBO - Backside concaved.

XXXX.0 Iron.
 XXXX.2 Aluminum.
 XXXX.8 Aluminum with lugs.



22 1/4" X 10 1/4" SF
 No. 1347.0
 No. 1347.2

28 5/8" X 31 1/2" SBO
 No. 1561.0
 No. 1561.2
 No. 1561.8
 No. 1534.0
 No. 1534.2
 No. 1534.8

No. 1534 is the same as the above casting except space for initials is blank.



42 1/2" X 26 7/8" SF
 No. 1559.0
 No. 1559.2



8 1/2" X 28 1/2" DF
 No. 1176.0
 No. 1176.2
 No. 1176.8

8 1/2" X 30 1/4" SBO
 No. 1165.0
 No. 1165.2
 No. 1165.8

16 1/8" X 30 3/4" SF
 No. 1166.0
 No. 1166.2
 No. 1166.8

15 1/4" X 30 3/4" SF
 No. 1174.0
 No. 1174.2
 No. 1174.8

16 1/8" X 30 3/4" SF
 No. 1164.0
 No. 1164.2
 No. 1164.8




27 3/4" X 33 1/2" DF
 No. 1151.0
 No. 1151.2
 2 pieces



11 1/4" X 6 7/8" SF
 No. 1154.0
 No. 1154.2
 No. 1154.8




21 5/8" X 22" DF
 No. 1153.0
 No. 1153.2



16 3/4" X 16 3/4" DF
 No. 1173.0
 No. 1173.2

14 5/8" X 28 1/4" DF
 No. 1325.0
 No. 1325.2
 No. 1325.8






THE PONTALBA GROUP

This group combines the scrolls, rosettes, and kindred wrought iron patterns from the "Smiths" of Old England in an interesting variety of designs. These carvings were originated in 1848 for the Pontalba building, one of New Orleans' most famous French Quarter landmarks. Known to many people as the Scroll pattern, this group is simple in design and therefore adaptable to almost any type of installation in modern or period architecture.

Alphabetical and numerical symbols are as follows:

SF - Pattern on one side.
DF - Pattern on both sides.
SBO - Backside concaved.


XXXX.0 Iron.
XXXX.2 Aluminum.
XXXX.8 Aluminum with lugs.



31" X 31" SBO
No. 1163.0
No. 1163.2




32" X 3 3/8" SBO
No. 1152.0
No. 1152.2



24 1/4" X 20 1/2" SBO
(Specify "left" or "right")
No. 1162.0
No. 1162.2



7 1/2" X 10 3/4" SBO
No. 1150.0
No. 1150.2
No. 1150.8



16 1/4" X 16 1/4" DF
No. 1408.0
No. 1408.2



16 3/8" X 16 3/8" DF
No. 1172.0
No. 1172.2



14" X 3 3/4" SF
No. 1177.0
No. 1177.2
No. 1177.8




7 1/2" X 5 1/2" SBO
No. 1149.0
No. 1149.2
No. 1149.8



16" X 3 1/2" DF
No. 1155.0
No. 1155.2
No. 1155.8



7 3/4" in diameter SF
No. 1398.0



9 3/8" X 28" DF
No. 1159.0
No. 1159.2
No. 1159.8



7 5/8" X 27 3/4" DF
No. 1000.0
No. 1000.2
No. 1000.8



7 5/8" X 27 3/4" DF
No. 999.0
No. 999.2
No. 999.8



7 1/8" X 19 1/4" DF
No. 1169.0
No. 1169.2
No. 1169.8



7 1/2" X 7 1/2" DF
No. 1105.0
No. 1105.2
No. 1105.8



7 1/2" X 21" SBO
No. 1161.0
No. 1161.2
No. 1161.8




THE PASSION FLOWER GROUP

This series is copied from probably the oldest ironworks known to man. The Passion Flower, or Passiflora, received its name from a fancied resemblance of certain parts of the flower to the instruments of the Crucifixion. It grows in vine form similar to the wild rose. A very full yet delicate pattern almost limits its use to period architecture.

Alphabetical and numerical symbols are as follows:

SF - Pattern on one side.
 DF - Pattern on both sides.
 SBO - Backside concaved.

XXXX.0 Iron.
 XXXX.2 Aluminum.
 XXXX.8 Aluminum with lugs.



33 3/4" X 33 3/4" SF
 No. 1251.0
 No. 1251.2
 2 peices




5" X 28 1/2" SF
 No. 1257.0
 No. 1257.2
 No. 1257.8



12 1/4" X 28 1/4" SF
 No. 1256.0
 No. 1256.2
 No. 1256.8




6" X 28" SF
 No. 1255.0
 No. 1255.2
 No. 1255.8



21 3/4" X 21 3/4" SF
 No. 1252.0
 No. 1252.2




19 1/4" X 4 3/4" DF
 No. 1579.0
 No. 1579.2



9" X 23 3/4" DF
 No. 1580.0
 No. 1580.2




11" X 29 3/4" DF
 No. 1259.0
 No. 1259.2



17" X 17" SF
 No. 1103.0
 No. 1103.2




11 1/4" X 26 1/8" SBO
 No. 1439.0
 No. 1439.2
 No. 1439.8




16 3/8" X 21 7/8" DF
 No. 1250.0
 No. 1250.2



21" X 5" SF
 No. 1104.0
 No. 1104.2



8 7/8" X 18 1/2" SF
 No. 1254.0
 No. 1254.2
 No. 1254.8



7" X 8 1/4" SF
 No. 1260.0
 No. 1260.2
 No. 1260.8



BIRD OF PARADISE




It has been said that Ponce de Leon was a wood carver by hobby. He was said to be imaginative and creative. For hours he would sit by a stream or a meadow and transpose his dreams into a reality in wood. One day he happened by a wheat field. The sun was setting and the breeze was gently bending the tender stalks. In his mind's eye he transposed the Tropical Bird of Paradise from its own surroundings to these fields, feeding on the sweet grains of wheat. To Ponce de Leon the scene was so beautiful that he sat down to carve it in wood. As his fingers moved nimbly over the wood the bird was so vivid in his imagination that almost without knowing it, he carved the Bird of Paradise in this environment of wheat into the wood. From this original wood carving made by Ponce de Leon comes the Bird of Paradise Ornamental Metal design which metalworkers have transposed into metal with little change. This pattern has lived through the ages becoming more popular as years go by.

BIRD OF PARADISE


Alphabetical and numerical symbols are as follows:

SF - Pattern on one side.
DF - Pattern on both sides.
SBO - Backside concaved.

XXXX.0 Iron.
XXXX.2 Aluminum.
XXXX.8 Aluminum with lugs.



22" X 29" DF
No. 1001.0
No. 1001.2
2 pieces




8 3/4" X 8 3/4" SF
No. 1399.0



7 1/2" X 2 7/8" DF
No. 1350.0
No. 1350.2
No. 1350.8



23 1/2" X 10 1/2" DF
No. 1101.0
No. 1101.2



26 3/4" X 27 1/2" SF
No. 1002.0
No. 1002.2




8 5/8" X 26 3/4" DF
No. 1003.0
No. 1003.2
No. 1003.8



8 5/8" X 22" DF
No. 1005.0
No. 1005.2
No. 1005.8




9" X 16 1/2" DF
No. 1006.0
No. 1006.2
No. 1006.8



22 1/8" X 31 1/2" SBO
No. 1004.0
No. 1004.2
No. 1004.8



8 1/2" X 30" DF
No. 1007.0
No. 1007.2
No. 1007.8



13 1/2" X 14 7/8" D
No. 1620.0
No. 1620.2



8 3/4" X 14 1/2" DF
No. 1619.0
No. 1619.2



8 5/8" X 29 3/4" DF
No. 1625.0
No. 1625.2
No. 1625.8

BANANA

Alphabetical and numerical symbols are as follows:

SF - Pattern on one side.
DF - Pattern on both sides.
SBO - Backside concaved.

XXXX.0 Iron.
XXXX.2 Aluminum.
XXXX.8 Aluminum with lugs.




6 3/4" X 33 3/4" DF
No. 1228.0
No. 1228.2
No. 1228.8



7 1/4" X 25 1/2" DF
No. 1231.0
No. 1231.2
No. 1231.8




7 1/4" X 20 1/4" DF
No. 1226.0
No. 1226.2
No. 1226.8



9" X 17 1/2" DF
No. 1229.0
No. 1229.2



5 5/8" X 5 5/8" DF
No. 1474.0
No. 1474.2



10 1/4" X 19" DF
No. 1227.0
No. 1227.2



7" X 11 1/4" DF
No. 1093.0
No. 1093.2
No. 1093.8

MISCELLANEOUS



12 1/2" X 4 1/2" SF
No. 1349.0
No. 1349.2



7 7/8" X 7 7/8" DF
No. 1400.0
No. 1400.2
No. 1400.8




7" X 4" DF
No. 1397.0
No. 1397.2



29" X 4" DF
No. 1346.0
No. 1346.2



10 3/4" X 6 3/8" SF
No. 1344.0
No. 1344.2



9 3/4" X 25 1/2" D
No. 1393.0
No. 1393.2
No. 1393.8

Circles with many uses add variety and charm.

| | | | |
|------------|------------|------------|------------|
| 3" DIA. | 6" DIA. | 9" DIA. | 12" DIA. |
| No. 1112.0 | No. 1113.0 | No. 1114.0 | No. 1115.0 |
| No. 1112.2 | No. 1113.2 | No. 1114.2 | No. 1115.2 |


Material 1/4" X 1"



6" X 26 1/4" DF
No. 1394.0
No. 1394.2
No. 1394.8



5 7/8" X 27 1/2" DF
No. 1339.0
No. 1339.2
No. 1339.8



6 1/4" X 28 1/2" DF
No. 1572.0
No. 1572.2
No. 1572.8



7 3/4" X 28 7/8" DF
No. 1366.0
No. 1366.2
No. 1366.8



7 1/8" X 28" DF
No. 1371.0
No. 1371.2
No. 1371.8







6" X 34" D
No. 1328.0
No. 1328.2

Alphabetical and numerical symbols are as follows:

SF - Pattern on one side.
DF - Pattern on both sides.
SBO - Backside concaved.

XXXX.0 Iron.
XXXX.2 Aluminum.
XXXX.8 Aluminum with lugs.






11 1/8" X 27 1/2" DF
No. 1391.0
No. 1391.2
No. 1391.8

20 5/8" X 26 1/4" DF
No. 1415.0
No. 1415.2
No. 1415.8

11 1/4" X 28 1/4" DF
No. 1624.0
No. 1624.2

18 1/2" X 8" DF
No. 1107.0
No. 1107.2

16" X 16" DF
No. 1468.0
No. 1468.2




11 5/8" X 9 1/8" DF
No. 1275.0
No. 1275.2
No. 1275.8

11" X 11" DF
No. 1476.0
No. 1476.2
No. 1476.8


13 5/8" X 13 5/8" DF
No. 1414.0
No. 1414.2
No. 1414.8

10 3/4" X 18 3/4" DF
No. 1475.0
No. 1475.2
No. 1475.8

9" X 26" DF
No. 1426.0
No. 1426.2
No. 1426.8




10 5/8" X 26 7/8" DF
No. 1545.0
No. 1545.2
No. 1545.8



8" X 14 3/4" DF
No. 1109.0
No. 1109.2
No. 1109.8

8" X 14 3/4" DF
No. 1110.0
No. 1110.2
No. 1110.8



8" X 21 1/2" DF
No. 1108.0
No. 1108.2
No. 1108.8

10 5/8" X 18 1/2" DF
No. 1460.0
No. 1460.2
No. 1460.8

10 5/8" X 32 3/4" DF
No. 1459.0
No. 1459.2
No. 1459.8

10 1/2" X 28" DF
No. 1458.0
No. 1458.2
No. 1458.8


10 1/2" X 23 3/4" DF
No. 1383.0
No. 1383.2
No. 1383.8

9" X 26" DF
No. 1425.0
No. 1425.2
No. 1425.8

Alphabetical and numerical symbols are as follows:

SF - Pattern on one side.
 DF - Pattern on both sides.
 SBO - Backside concaved.

XXXX.0 Iron.
 XXXX.2 Aluminum.
 XXXX.8 Aluminum with lugs.




26 1/2" X 27 1/4" SF
 No. 1547.0
 No. 1547.2
 No. 1547.8




44 3/4" X 17 5/8" SF
 No. 1548.0
 No. 1548.2
 No. 1548.8



22 3/4" in diameter SF
 No. 1402.0
 No. 1402.2



22" X 22" SBO
 No. 1405.0
 No. 1405.2
 No. 1405.8




5" X 8 1/8" DF
 No. 1552.0
 No. 1552.2

31" in diameter DF
 No. 1551.0
 No. 1551.2



24 1/4" X 24 1/4" SF
 No. 1281.0
 No. 1281.2
 No. 1281.8



15" in diameter SF
 No. 1336.0
 No. 1336.2
 No. 1336.8



28" in diameter SF
 No. 1401.0
 No. 1401.2

Alphabetical and numerical symbols are as follows:

SF - Pattern on one side.
 DF - Pattern on both sides.
 SBO - Backside concaved.

XXXX.0 Iron.
 XXXX.2 Aluminum.
 XXXX.8 Aluminum with lugs.



41" X 8" SBO
 No. 1443.0
 No. 1443.2



21 3/4" X 5 1/4" DF
 No. 1016.0
 No. 1016.2
 No. 1016.8



9 1/2" X 13 1/4" SBO
 No. 1014.0
 No. 1014.2



5/8" X 35 1/2" SF

No. 1312.0
 No. 1312.2
 No. 1312.8



7 1/2" X 27 1/4" SF

No. 1304.0
 No. 1304.2
 No. 1304.8



15 1/2" X 27" SBO

No. 1305.0
 No. 1305.2
 No. 1305.8




7 1/2" X 27 1/4" SF

No. 1306.0
 No. 1306.2
 No. 1306.8



4 1/2" X 28 3/8" SF

No. 1301.0
 No. 1301.2



14" X 28 3/8" SBO

No. 1566.0
 No. 1566.2
 No. 1566.8



19 1/4" X 29 1/4" SF

No. 1317.0
 No. 1317.2
 No. 1317.8



20 1/4" X 22 5/8" DF

No. 1279.0
 No. 1279.2
 No. 1279.8



17 7/8" X 26 1/2" DF

No. 1584.0
 No. 1584.2
 No. 1584.8



11 1/2" X 26 1/8" DF

No. 1549.0
 No. 1549.2
 No. 1549.8



11 3/4" X 27 5/8" SBO

No. 1171.0
 No. 1171.2
 No. 1171.8

Alphabetical and numerical symbols are as follows:

SF - Pattern on one side.
 DF - Pattern on both sides.
 SBO - Backside concaved.


XXXX.0 Iron.
 XXXX.2 Aluminum.
 XXXX.8 Aluminum with lugs.



12 7/8" X 28 1/4" DF
 No. 1343.0
 No. 1343.2
 No. 1343.8



7" X 28 3/8" DF
 No. 1368.0
 No. 1368.2
 No. 1368.8



7 7/8" X 21 1/8" SF
 No. 1156.0
 No. 1156.2
 No. 1156.8



7 3/8" X 20" SBO
 No. 1157.0
 No. 1157.2
 No. 1157.8



9 3/8" X 27 7/8" SBO
 No. 1509.0
 No. 1509.2
 No. 1509.8



10 7/8" X 28 1/8" SBO
 No. 1310.0
 No. 1310.2
 No. 1310.8



7" X 28 1/4" SBO
 No. 1337.0
 No. 1337.2
 No. 1337.8



7 1/2" X 31 1/4" DF
 No. 1338.0
 No. 1338.2
 No. 1338.8




7 3/8" X 33 5/8" DF
 No. 1365.0
 No. 1365.2




7 3/8" X 34" DF
 No. 1370.0
 No. 1370.2



9 1/2" X 30" SBO
 No. 1327.0
 No. 1327.2
 No. 1327.8




11 1/2" X 28" SBO
 No. 1326.0
 No. 1326.2
 No. 1326.8



10 3/8" X 26 1/4" DF
 No. 1389.0
 No. 1389.2
 No. 1389.8



12 1/4" X 28" SBO
 No. 1388.0
 No. 1388.2
 No. 1388.8



11 3/4" X 28 3/8" SF
 No. 1390.0
 No. 1390.2
 No. 1390.8

Alphabetical and numerical symbols are as follows:

SF - Pattern on one side.
 DF - Pattern on both sides.
 SBO - Backside concaved.

XXXX.0 Iron.
 XXXX.2 Aluminum.
 XXXX.8 Aluminum with lugs.




7 1/4" X 8 3/4" SF
 No. 995.0
 No. 995.2



23 1/4" X 18" SF
 No. 1311.0
 No. 1311.2
 No. 1311.8



9 3/4" X 19 1/8" DF
 No. 1322.0
 No. 1322.2
 No. 1322.8



12" X 24 3/8" DF
 No. 1321.0
 No. 1321.2
 No. 1321.8



6 1/2" X 33 5/8" DF
 No. 1360.0
 No. 1360.2




8 1/4" X 32 3/8" DF
 No. 1358.0
 No. 1358.2
 No. 1358.8



8 1/4" X 32 3/8" DF
 No. 1413.0
 No. 1413.2




10 3/4" X 29" DF
 No. 1074.0
 No. 1074.2
 No. 1074.8




10" X 22 3/4" DF
 No. 1319.0
 No. 1319.2
 No. 1319.8




10" X 32 3/4" DF
 No. 1591.0
 No. 1591.2
 No. 1591.8



12 1/8" X 31" DF
 No. 1412.0
 No. 1412.2
 No. 1412.8



19 5/8" X 19 5/8" DF
 No. 1567.0
 No. 1567.2
 No. 1567.8



19 1/2" X 22 1/2" DF
 No. 1568.0
 No. 1568.2
 No. 1568.8



11 3/4" X 10 1/4" DF
 No. 1010.0
 No. 1010.2

BRONZE URNS AND BALL FINIALS

Polished or Plain...Square or Round Base...
Urns and Ball Finials beautifully bronzed for
that crowning touch that adds so much to your
completed jobs. High Quality... Low Prices!

PLACE YOUR ORDER NOW!



NO. 972 3 INCH URN



NO. 975 1 1/4 INCH KNOB

972.0 - 3" urn, 1" round base - polished
972.1 - 3" urn, 1" square base - polished
972.2 - 3" urn, 1" round base - plain
972.3 - 3" urn, 1" square base - plain

975.0 - 1 1/4" knob, 1 1/4" round base - polished
975.1 - 1 1/4" knob, 1" square base - polished
975.2 - 1 1/4" knob, 1 1/4" round base - plain
975.3 - 1 1/4" knob, 1" square base - plain



NO. 973 4 INCH URN

973.0 - 4" urn, 1 1/4" round base - polished
973.1 - 4" urn, 1 1/4" square base - polished
973.2 - 4" urn, 1 1/4" round base - plain
973.3 - 4" urn, 1 1/4" square base - plain

DRILLED AND TAPPED FOR EASY INSTALLATION



3 1/4" X 8 1/4"
No. 1617.0
No. 1617.2



No. 941.0
No. 941.2
for 1 1/2" diameter pipe
6 1/4" tall



No. 936.0
No. 936.2
to fit 1/2" square
No. 940.0
No. 940.2
to fit 5/8" square



3" X 4 3/4"
No. 1616.0
No. 1616.2



No. 911.0
No. 911.2
(curved surface type)



No. 912.0
No. 912.2
(flat surface type)

URN FINIALS • SHOES • SPEAR POINTS

TFC

.0 - IRON
.2 - ALUMINUM

NOTE:
beveled edge
for tighter
welds



No. 1008.0
No. 1008.2
8" x 3" dia rd base



No. 901.0
No. 901.2
4" x 1-1/4" square base



No. 902.0
No. 902.2
3" x 1-1/8" square base



No. 904.0
No. 904.2
1-3/16" square base
1 1/2" ball




No. 903.0
No. 903.2
1" square base
1" ball




1 5/8" (diameter)
No. 1627.0
No. 1627.2




No. 916.0
for 1-inch sq. tubing posts




No. 905.0
Newel Post Cap




No. 925.0
No. 925.2
1" All-Purpose




No. 926.0
No. 926.2
1 1/4" All-Purpose



No. 928.0
No. 928.2
1 1/2" all purpose




No. 920.0
No. 920.2
3/4" Solid Bottom



No. 921.0
No. 921.2
1" Solid Bottom




No. 922.0
No. 922.2
1/2" Open Bottom




No. 924.0
No. 924.2
1" Open Bottom



No. 929.0
No. 929.2 1"
(also used with TFC E-Z-N)



No. 930.0
No. 930.2 1"



No. 937.0
No. 937.2 3/4"



No. 938.0
No. 938.2 5/8"





No. 939.0
No. 939.2 1/2"

NEWEL POST CAPS • BALL FINIALS



Big Sellers in Railing, Fence and Wall Rail Fittings

No. 1610





MOLDED STEEL COVER RAIL

No. 1639



ECONOMY HALF-OVAL COVER RAIL

No. 1640



MOLDED STEEL COVER RAIL

No. 1603.5 L
No. 1603.6 R



1 3/4" MOLDED LATERAL
(malleable)

Matches No. 1610 cover rail

No. 1600.5 L
No. 1600.6 R



1 1/2" ECONOMY HALF-OVAL LATERAL
(malleable)


Matches No. 1639 cover rail

No. 1601.5 L
No. 1601.6 R



1" x 1/2" CHANNEL LATERAL
(malleable)

See illustration for determining use of left or right-hand laterals



No. 1604.0
1 3/4" MOLDED VOLUTE
(Head Scroll)

Matches No. 1610 cover rail



No. 1607.0
1 1/2" ECONOMY HALF-OVAL VOLUTE
(Head Scroll)

Matches No. 1639 cover rail



No. 1602.0
1" x 3/8" SOLID BAR LATERAL
(malleable)



No. 1605.0
1 3/4" MOLDED STRAIGHT
LAMBS TONGUE

Matches No. 1610 cover rail



No. 1608.0
1 1/2" ECONOMY HALF-OVAL
STRAIGHT LAMBS TONGUE

Matches No. 1639 cover rail



No. 1606.0
1 3/4" MOLDED BEVEL
LAMBS TONGUE


Matches No. 1610 cover rail




No. 1609.0
1 1/2" ECONOMY HALF-OVAL
BEVEL LAMBS TONGUE

Matches No. 1639 cover rail


STAMPED STEEL RAILING BRACKET




Here's an effective, inexpensive way to attach any metal rails to house walls. Weld these stamped steel brackets to rail runners and attach to walls with TFC Plast-Plugs or expansion shields (or screws with wood walls.)




TO MATCH 1610 COVER RAIL



No. 1611.0
"L" CORNER PIECE
Matches No. 1610 cover rail




No. 1612.0
"T" CENTER PIECE
Matches No. 1610 cover rail



No. 1613.0
END PIECE "TERMINAL"
Matches No. 1610 cover rail


HERE'S HOW TO DETERMINE A LEFT AND RIGHT-HAND LATERAL...



Typical left-hand
lateral set-up


Order a left-hand molded
or half-oval lateral plus
a left-hand channel lat-
eral or a bar lateral.

Order as a right-hand
channel lateral or a
bar lateral.



Typical right-hand
lateral set-up

Molded or half-oval right-hand lat-
eral welded on top of inverted channel lateral (which is also a
right-hand lateral).




This is ordered as a left-hand channel lat-
eral since it is used in an upright
position.

No. 1614.0



CENTER FINIAL BASE
Matches No. 1610 cover rail


No. 1615.0




END FINIAL BASE
Matches No. 1610 cover rail

ROSETTES

Use these small decorative castings to enhance simple railings
and other grille work applications.



2 1/8" X 3 1/2" SF
No. 1380.0
No. 1380.2




2 5/8" Diameter
No. 1376.0
No. 1376.2



1 15/16" Diameter
No. 1378.0
No. 1378.2



4" X 4 1/4" DF
No. 1377.0
No. 1377.2



No. 910.0 GATE LATCH
Can be either bolted or welded






ORNAMENTAL STEEL STAMPINGS

NOTE

No. XXXX.1
No. XXXX.2

16 GAUGE
22 GAUGE



6 3/4" X 1 7/8"
No. 2500.1
No. 2500.2



2 5/8" X 1 7/8"
No. 2501.1
No. 2501.2



2 1/4" X 1 1/4"
No. 2502.1
No. 2502.2



1 7/8" X 1 1/8"
No. 2503.2



3" X 1 3/8"
No. 2504.2




3 3/8" X 1 3/8"
No. 2505.2



4 3/8" X 3 1/4"
No. 2506.1
No. 2506.2



2 5/8" X 1 3/4"
No. 2507.1
No. 2507.2



4 5/8" X 2 7/8"
No. 2508.1
No. 2508.2



3" X 2 1/8"
No. 2509.2



3 1/8" X 3 1/8"
No. 2510.1
No. 2510.2




2 1/8" X 2 1/8"
No. 2511.1
No. 2511.2



3 1/8" X 3 1/4"
No. 2512.1
No. 2512.2



2 1/4" X 2 1/2"
No. 2513.1
No. 2513.2



3" X 2 1/2"
No. 2514.1
No. 2514.2



2 1/8" X 2"
No. 2515.1
No. 2515.2



2 3/4" X 2"
No. 2516.1
No. 2516.2



2 7/8" diameter
No. 2517.2



3" diameter
No. 2518.2



1 5/8" diameter
No. 2519.2



2 1/2" X 1"
No. 2520.1
No. 2520.2



1 3/8" X 1 1/2"
No. 2521.1
No. 2521.2



2 1/4" diameter
No. 2522.2



2 3/4" X 1 1/8"
No. 2524.2



3" X 2 1/8"
No. 2525.2



2 1/2" X 5/8"
No. 2526.2



3 3/4" X 3/4"
No. 2527.2



2 1/2" X 1 3/4"
No. 2528.1
No. 2528.2



2 3/4" X 1 5/8"
No. 2529.1
No. 2529.2



3 7/8" X 2 1/2"
No. 2530.1
No. 2530.2



1 3/4" diameter
No. 2531.2



1 3/4" X 2"
No. 2532.1
No. 2532.2



2 1/2" X 2"
No. 2533.1
No. 2533.2




4 5/8" X 2 1/8"
No. 2534.2



5" X 4"
No. 2535.2



2 3/8" X 2 1/4"
No. 2536.2



4 1/4" X 4 1/4"
No. 2537.2



2 1/8" X 1 5/8" tall
No. 2538.2



5 1/4" X 2"
No. 2543.2



2 1/4" diameter
No. 2539.2




1 5/8" X 7/8" tall
No. 2540.2



1 7/8" X 1 1/4" tall
No. 2541.2



2 7/8" X 1 1/4"
No. 2544.2



2 1/2" X 1 3/4"
No. 2548.2

CAST LETTERS & NUMERALS--IRON & ALUMINUM

NUMERALS AVAILABLE IN 4 & 6- INCH HEIGHTS ONLY

A B C D

"Square Modern" is the design for installations that require the boldest of letters. Plain--legible in a quick glance even at a great distance. Ideal where a massive, modern effect is needed.

NOTE:
NUMERALS NOT
AVAILABLE IN
THIS DESIGN.

| HEIGHT | 4" | 6" | 8" | 10" |
|-----------|------------------|------------------|------------------|------------------|
| THICKNESS | 1/4" | 1/4" | 1/4" | 1/4" |
| WIDTH | 3" | 4" | 5 1/8" | 6" |
| ORDER NO. | 8284.0 8284.2 | 8286.0 8286.2 | 8288.0 8288.2 | 8280.0 8280.2 |

A B C D 1 2 3

These "Standard" letters are just what the name implies--modern, bold, simple and really easy to read. This is probably the design most of your customers will call for. It's good to stock some!

| HEIGHT | 4" | 6" | 8" | 10" |
|-----------|------------------|------------------|------------------|------------------|
| THICKNESS | 1/4" | 1/4" | 1/4" | 1/4" |
| WIDTH | 4" | 5" | 6" | 8" |
| ORDER NO. | 8264.0 8264.2 | 8266.0 8266.2 | 8268.0 8268.2 | 8260.0 8260.2 |

A B C D 1 2 3

Here are "Design" characters to fill the bill for customers who want letters and numbers "not too ornate, but not too plain". This styling has a lot of dignity--conservative, yet not too much so.

| HEIGHT | 4" | 6" | 8" | 10" |
|-----------|------------------|------------------|------------------|------------------|
| THICKNESS | 1/4" | 1/4" | 1/4" | 1/4" |
| WIDTH | 3 3/4" | 5 1/2" | 7" | 8 1/4" |
| ORDER NO. | 8274.0 8274.2 | 8276.0 8276.2 | 8278.0 8278.2 | 8270.0 8270.2 |

A B C D

| HEIGHT | 10" |
|-----------|------------------|
| THICKNESS | 1/4" |
| WIDTH | 9 1/4" |
| ORDER NO. | 8250.0 8250.2 |

These ornamental "Old English" letters, suggestive of Ornamental Iron itself, always get favorable attention. For those who want something decorative, yet very easy to read at a glance, these are the best bet.

TFC now carries these cast letters and numerals in stock--in iron and aluminum--ready for quick shipment. Notice we have only four styles--the most popular designs, always in demand. With them you can give your customers exactly what they want, fancy lettering or plain. Excellent for church and commercial signs, etc..



PRIMER & FINISH

GET THE MOST FOR YOUR MONEY!

FINISH

- A plastic base-product developed especially for painting ironwork and all other ornamental metal fabrications. Although vastly superior, it costs no more than the better grades of metal paints sold today.
- TFC Ornamental Iron Finish has been thoroughly tested in laboratory and field; it will not crack, peel or blister even with rapid temperature changes or under inclement weather conditions.
- A Word of Caution . . . Always thin TFC Ornamental Iron Finish with TFC Thinner—a thinner developed for these plastic-base products. Other thinners on the market tend to "curdle" TFC Ornamental Iron Finish.

Beauty as well as superior protection — TFC ORNAMENTAL IRON FINISH can be obtained in standard colors, toners and antique.

Standard colors: gloss black, satin black, (a semi-gloss), white, primrose, yellow, natural gray, warm gray, soft green.

TFC toner colors: green toner, yellow toner, blue toner, red toner.

For color mixing in the desired shade, TFC toners come thick in the can—very small amounts do a lot of color shading. Colors can, however, be combined with enough TFC thinner to serve as a finish themselves.

Antique: A wonderful way to add a finishing touch to your Ornamental Iron! A small can goes a long way. Applies easily as directed on can. Gives ironwork a corroded, or antique, effect that is very popular. Looks especially good on black or white ironwork.

TFC Rustcote is the finest rust inhibitor for ornamental iron or aluminum on the market. Rustcote will hold back rust even after oxidation has set in, and, should be used to prime all ornamental metal. Just one coat of TFC Rustcote will cover welds, and stops oxidation. Two coats of TFC Rustcote will prime and finish a job. We highly recommended Rustcote for use on old ornamental iron work, as well as on all new installations.


See price list (series 2100) for numbers, sizes, and color descriptions. Available in either black or red, TFC Metal Primer is the finest product available in its price range. The life of the red is slightly longer than the black. For a moderate price, you add that hidden extra which means a top quality job. And, TFC Metal Primer costs less than comparable "expensive" primers.



Display
No. 2199.0

PRIMER


- Economical, available black or red, just thin with a Stoddard Solvent Type of Naphtha such as Standard Oil Varsol or Gulf B.T.
- Fast-drying — sprays smoothly, ideal for dipping, brushes on smoothly.
- Excellent coverage, will not bleed, can be baked.
- Surface very hard won't chip or scrape under normal handling. Prevents rust and accepts finish coat perfectly.
- Fully rust preventive—even in salt air regions. Dries fast, dust free, in 27 minutes, stays on!



FOR SPRAYING



FOR BRUSHING



FOR DIPPING

TFC METAL PRIMER is available in one-gallon cans, five-gallon cans and 50-gallon drums. See price sheet for numbers, sizes and color descriptions.


Beautiful display assortment available to promote sales by offering a visual presentation to your customers (extra sales mean extra profits, too).

Color chart folders free with order.

TENNESSEE FABRICATING COMPANY
1490 GRIMES STREET
MEMPHIS, TENNESSEE
(TELEPHONE AREA CODE 901 948 3355)

© 1963

FURNITURE AND DECORATOR CASTINGS



screen or room divider



screen door grille



room divider or grille



7" X 5" DF
No. 1427.0 iron
No. 1427.2 alum.



7" X 5" DF
No. 1429.0 iron
No. 1429.2 alum.



7" X 2" DF
No. 1428.0 iron
No. 1428.2 alum.



7" X 2" DF
No. 1430.0 iron
No. 1430.2 alum.



4" X 11 1/2"
No. 1185.2
* No. 1184.2



11" X 8 1/4"
No. 1183.2
* No. 1182.2



8 3/4" X 7 1/2"
No. 1189.2
* No. 1188.2



6" X 13"
No. 1187.2
* No. 1186.2


*RIGHT FACING CASTINGS



12 1/2" X 17 1/4"
No. 1180.0
No. 1180.2



12 1/2" X 14 1/4"
No. 1181.2 SF



12 1/2" X 10 1/2"
No. 1191.2
* No. 1190.2



12" X 14" SF
No. 1631.0
No. 1631.2



9" X 14" SF
No. 1630.0
No. 1630.2

*RIGHT FACING CASTINGS



12" X 12"
No. 1179.0
No. 1179.2



12" X 12"
No. 1178.0
No. 1178.2



10" X 15 1/2"
No. 1193.2



15 1/4" X 17"
No. 1194.2




17" X 18 1/2"
No. 1192.2



14" X 21 1/2"
No. 1195.2

ORNAMENTAL STARTING POSTS AND PICKETS



Height 29"
Upper end 1" rd.
Lower end 1 1/2" sq.
No. 1514.0
No. 1514.2



1" sq. X 38"
No. 942.0 (Post shown)
Also available in:
1 1/4" sq. X 38"
No. 943.0



Height 36 1/4"
Upper end 1 1/4"
Lower end 1 1/4"
No. 1513.0
No. 1513.2



Height 36"
Upper end 1" rd.
Lower end 1" rd.
No. 1517.0
No. 1517.2




IT'S NEW!
With this new TFC casting you can make all kinds of profitable designs that will SELL! All you need are the castings and a little imagination for really wonderful results! Illustrated are typical possibilities.

CARRY THEM IN STOCK.

7" X 12 5/8" DF
No. 1015.0
No. 1015.2
No. 1015.8

Make circles, arcs, and turn corners with this casting.



BRACKETS

RAILINGS

COLUMNS

WALL FRIEZE

Alphabetical and numerical symbols are as follows:

SF - Pattern on one side.
DF - Pattern on both sides.
SBO - Backside concaved.

XXXX.0 Iron.
XXXX.2 Aluminum.
XXXX.8 Aluminum with lugs.

FOR BEAUTIFUL PICKETS...
WELD SQUARES TO THESE "CENTER PIECES"



4 1/2" X 11 5/8" DF
No. 1404.0
No. 1404.2
(for 1/2" sq.)



5 7/8" X 11" DF
No. 1353.0
No. 1353.2
(for 1/2" sq.)



4 3/8" X 12 3/4" DF
No. 1356.0
No. 1356.2
(for 5/8" sq.)

PICKET CASTINGS



8 1/2" X 18 1/2" DF
No. 1471.0
No. 1471.2



3" X 7 5/8" DF
No. 997.0
No. 997.2



8 1/4" X 24" DF
No. 1522.0
No. 1522.2



8 3/8" X 6 5/8" DF
No. 1498.0
No. 1498.2



8 1/2" X 13" DF
No. 1361.0
No. 1361.2



3 5/8" X 3 7/8" DF
No. 998.0
No. 998.2



7 1/2" X 16 1/2" DF
No. 1470.0
No. 1470.2



7" X 14 1/2" DF
No. 1364.0
No. 1364.2



8 1/4" X 17" DF
No. 1469.0
No. 1469.2



8 1/8" X 12" DF
No. 1094.0
No. 1094.2

CASTINGS

BEAUTIFUL AND UNUSUAL
CASTINGS FOR THE ORNAMENTAL IRON SHOP.




15 3/4" X 4" DF

No. 1577.0

No. 1577.2

No. 1577.8



13 7/8" X 1 3/4" DF

No. 1578.0

No. 1578.2

No. 1578.8



14" X 4" DF

No. 1280.0

No. 1280.2

No. 1280.8



16 3/8" X 2 3/4" SF

No. 1417.0

No. 1417.2



6 1/4" X 6 1/4" DF

No. 1196.0

No. 1196.2



17 3/4" X 2 1/2" SF


No. 1418.0

No. 1418.2

21 7/8" X 1 7/8" SF

No. 1419.0

No. 1419.2



22 7/8" X 1 3/4" SF

No. 1420.0

No. 1420.2

4 1/4" X 5" DF

No. 1197.0

No. 1197.2

22 3/8" X 1 7/8" SF

No. 1421.0

No. 1421.2



22 1/2" X 1 3/4" SF


No. 1422.0

No. 1422.2

20 1/2" X 2 1/4" SF

No. 1423.0

No. 1423.2



20 1/2" X 1 3/4" SF

No. 1372.0

No. 1372.2

5 3/4" X 4 3/4" DF

No. 1198.0

No. 1198.2

18 1/8" X 2" SF

No. 1375.0

No. 1375.2



17 5/8" X 1 7/8" SF

No. 1374.0


No. 1374.2



4 3/4" X 4 1/4" DF

No. 1199.0



No. 1199.2



**IDEAL FOR RANCH-STYLE HOMES,
COMMERICAL INSTALLATIONS, ETC..**


HERE ARE AUTHENTIC REPRODUCTIONS OF OLD WEST DECOR. THESE VERSATILE CASTINGS CAN BE USED IN COLUMNS, RAILINGS, ON MAILBOXES, SEPERATE WALL DECORATIONS, ANY ONE OF A HUNDRED USES.

WESTERN DESIGNS




Typical Uses of These Castings

MAILBOXES




RAILINGS




COLUMNS



PLATE STEEL, CADMIUM-PLATED
No. 918.0 Anchor Plate




MATCHING SHOE, CAST IRON
No. 919.0 Shoe



Illustrations above 1/2 actual size.

Order as No. 918.0 Anchor Plate
Order as No. 919.0 Shoe


Drop shoe into position after installation has been completed.




Works with most pre-cast steps or slabs.

TFC E-Z-N TAKES THE WORK OUT OF COLUMN INSTALLATION

Put up a plumb bob (or just a piece of string with weight tied to the end) about one inch from where you want to install the Ornamental Iron column. The reason for this is to be sure your column will be vertically "true" when installed. Top of the plumb bob string is fastened to the soffit (ceiling) with a thumb tack.




Place column legs into position.




Pat. Pend.




Put TFC E-Z-N'S into steel tubing legs of the column. Be sure the E-Z-N lug is screwed all the way into upper casement of the E-Z-N unit so that it can be unscrewed gradually when column legs are in place. Adjustable tolerance of the E-Z-N is up to 1 1/2 inch.



With a hand wrench, adjustable wrench, or pair of pliers, unscrew E-Z-N lug so that pressure from above causes E-Z-N point to "dig" securely into floor. It is this pressure plus embedding the E-Z-N point in the floor that holds the column in place permanently.



With wood screws, attach column top to soffit (ceiling). Tightening up of wood screws can be done after the column installation.



The TFC E-Z-N is the most wonderful invention in Ornamental Iron Column Installation History! It's easy to do the job in minutes—with the twist of the wrist—and you save time, save money . . . and headaches!

No. 890.0 1-inch E-Z-N
No. 891.0 1 1/4-inch E-Z-N



Unretouched photo of welder using TFC "CS" Electrode. Note the total absence of spatter.


"CS" ELECTRODES SAVE TIME ON THE JOB ...

Because they get spatter-free welds — require little clean-up. "CS" Electrodes are made for welding cast iron to steel or cast iron to cast iron. Excellent for welding ornamental cast iron castings into steel tubing or solid steel framework.

Characteristics and Physical Properties


"CS" Electrodes yield even, dense, porosity-free deposits of high strength. Deposits closely match cast iron in color. They are

all-position electrodes, used either with AC or DC current. Tensile Strength: up to 65,000 psi. Hardness: Brinell 150-200 (annealed). Sizes available: 1/8" x 14" (No. 870) and 5/32" x 14" (No. 871).



TFC "CS" Welding Electrodes

- Are made especially for welding cast iron to steel or cast iron to cast iron
- Are priced at approximately 1/3 less than comparable electrodes
- Are easy to work with—give smooth welds
- Are High-Strength ferrous electrodes for cast iron
- Run easily — smooth, dense beads, even on old or dirty cast iron
- Cut clean-up time to Zero because there is practically no spatter with TFC "CS" Electrodes!



No. 906.0 PLASTI-PLUG COMBINATION KIT


This kit provides 100 Plasti-Plugs (1/4" size) and 100 cadmium-plated screws, together with a 1/4" masonry drill. Plasti-Plugs, screws and drills may also be purchased as separate units in bulk.

No. 917 Plasti-Plug



ACTUAL SIZE

No. 909.0 Metal Screw



ACTUAL SIZE




CARBOLEY-TIPPED MASONRY DRILL

No. 913.0 1/4" Drill
No. 914.0 3/8" Drill

THE MOST MODERN AND ECONOMICAL WAY TO ANCHOR ORNAMENTAL IRON INTO CONCRETE AND MASONRY WALLS OR SURFACES.

For very heavy —duty work use No. 907.0 Plasti-Plug



ACTUAL SIZE

Insert in hole drilled 1 5/8" deep with a 3/8" carboly-tipped bit—use 5/16" x 1 1/2" lag screw.

Sold 100 to the box—lag screws not furnished.

NEW FORMULA QUICK RAIL-SET

TFC NEW FORMULA RAIL-SET is a fast-setting compound (when mixed with water) for permanently holding metal work in masonry. It is used equally well in patching cracked or rough masonry.


RAIL-SET sets up in approximately 30 minutes . . . becomes permanently hard in about 2 to 3 hours.

TFC RAIL-SET not only sets up hard in a hurry but also EXPANDS slightly as it dries . . . getting a tight, permanent hold.

No. 908.3, quart size
No. 908.4, gallon size
No. 908.5, five gallon size




3 APPEALING PATTERNS



PACE SETTER

Design No. 1432.2


A rhythmic, endless network of non-directional patterns . . . a complex and subtle geometric weaving to create the flow of futuristic designs. Designed especially for the House Beautiful 1960 Pace Setter Home, this unit inspired the motif used throughout the home.



RHYTHM

Design No. 1431.2

Simple ornamentation in light open circles . . . a pleasant combination of separation and spacious dimension . . . encloses without confining. Shadows cast by the sun or by light create patterns that add that touch of enchantment to all buildings.



TREND

Design No. 1437.2

A panorama of directional projecting lines . . . arrangement in different horizontal and vertical positions plus its unique hammered finish, create new dimensions and patterns to give this unit the versatility for which it was designed.

USES:

INDOORS OR OUTDOOR


- Grilles
- Doors
- Panels
- Gates
- Rails
- Room Dividers
- Sun Screens
- Screen Wall
- A wealth of other applications

SPECIFICATIONS

| DESIGN | SIZE* | WEIGHT OF UNIT | DEPTH OF FRAME | DEPTH OF DESIGN | DESCRIPTION OF CASTING |
|-------------|-------------|-----------------|----------------|--------------------|--|
| PACE SETTER | 17-7/8" sq. | *7 lbs., 1 oz. | 11/16" | Varies—Max. 1 1/4" | Raised Surface—one side, Blocked out—otherside |
| RHYTHM | 17-7/8" sq. | *5 lbs., 3 ozs. | 3/8" | 3/4" | Double-Face with Grooved Surface |
| TREND | 17-7/8" sq. | *4 lbs., 9 ozs. | 5/8" | 5/16" | Double Face with Hammered Finish |

All Designs pre-drilled for assembly—
Nuts and Bolts furnished—
No special tools required—
*Weights are average (individual units vary slightly).

*NOTE: In figuring jobs use 18"x18" as the measurement for Design Units.



INSTALLATION


Framing should be specified by the architect or designer depending on the structural strength needed. DESIGN UNITS can be secured to steel tubing, wood, or masonry structural members, or can be mounted in grooved metal channel or runners (slides) for mobility. Pre-drilled units are easily attached to wooden structural members with round head wood screws. Soft metal or plastic anchor plugs are used for fastening DESIGN UNITS to masonry structures. Plastic anchor plugs prevent rust and resist deterioration. Galvanized or coated screws will prevent rust-bleed-through the finish. 18" DESIGN UNITS may be assembled in solid or multiples by bolting together through pre-drilled holes, or spaced with framing to add variation in pattern.

DESIGN UNITS


Design Units are available in any of the 6 TFC Decorator Finishes, unfinished, primed or ready-to-paint. The 4 patterns are designed to blend with all styles of architecture and any motif.

**WRITE FOR
FURTHER INFORMATION
AND PRICES
ON DESIGN UNITS.**


TIME—No. 1447.X
Varying length lines oppose each other forming a delightful visual pattern. Blends tastefully with its surroundings.




ORIENTAL—No. 1446.X
Adopted from the best designs of the ancient and wise Oriental artists. Goes with any decor tastefully, subtly, and with much charm.



NATURE—No. 1445.X
An organic pattern symbolizing God's greatest gift—Nature. Sure to be correct in any decor.



FLIGHT—No. 1444.X
A non-directional design for the space-age in which we live. Ideal for use in ultra-modern as well as other motifs.



NOTE: Indicate finish desired when ordering—all items available unfinished, primed, or in one of the 6 TFC Decorator Finishes shown on the back cover of the catalog.

19
310
195
125

| ITEM | | | SPECIAL PRICE IN QUANTITIES OF | REG. PRICE | ITEM | | | SPECIAL PRICE IN QUANTITIES OF | REG. PRICE | These confidential prices are for Ornamental Metal Manufacturers only | | | |
|-------|---------|----------|-----------------------------------|---------------|-------|-----|----------|-----------------------------------|---------------|--|--|----------|---------------|
| | | | | | | | | | | ITEM | PRICE IF PURCHASED IN QUANTITIES OF | | REG. PRICE |
| 869.0 | 500 lb. | .95 lb. | | 1.15 lb. | 951.0 | 10 | 1.65 ea. | 2.00 ea. | | | | | |
| 870.0 | 500 lb. | .90 lb. | | 1.05 lb. | 951.2 | 10 | 2.00 ea. | 2.60 ea. | | | | | |
| 871.0 | 500 lb. | .92 lb. | | 1.10 lb. | 951.8 | 10 | 2.00 ea. | 2.60 ea. | | | | | |
| 872.0 | 500 lb. | .87 lb. | | 1.00 lb. | 952.0 | 10 | 1.00 ea. | 1.20 ea. | | 1000.0 | 50 | 1.67 ea. | 2.07 ea. |
| 890.0 | 500 | .25 ea. | | .30 ea. | 952.2 | 10 | 1.35 ea. | 1.65 ea. | | 1000.2 | 50 | 2.10 ea. | 2.60 ea. |
| 891.0 | 200 | .25 ea. | | .30 ea. | 952.8 | 10 | 1.35 ea. | 1.65 ea. | | 1000.8 | 50 | 2.10 ea. | 2.60 ea. |
| 901.0 | 500 | .15 ea. | | .20 ea. | 953.0 | 10 | .85 ea. | 1.00 ea. | | 1001.0 | 10 | 3.90 ea. | 4.90 ea. |
| 901.2 | 250 | .18 ea. | | .22 ea. | 953.2 | 10 | 1.00 ea. | 1.20 ea. | | 1001.2 | 10 | 4.25 ea. | 5.40 ea. |
| 902.0 | 500 | .12 ea. | | .17 ea. | 953.8 | 10 | 1.00 ea. | 1.20 ea. | | 1002.5 | 10 | 3.15 ea. | 3.90 ea. |
| 902.2 | 250 | .17 ea. | | .19 ea. | 954.0 | 10 | 1.35 ea. | 1.65 ea. | | 1002.6 | 10 | 3.15 ea. | 3.90 ea. |
| 903.0 | 500 | .10 ea. | | .15 ea. | 954.2 | 10 | 1.85 ea. | 2.25 ea. | | 1002.7 | 5 | 3.50 ea. | 4.00 ea. |
| 903.2 | 200 | .14 ea. | | .17 ea. | 954.8 | 10 | 1.85 ea. | 2.25 ea. | | 1002.8 | 5 | 3.50 ea. | 4.00 ea. |
| 904.0 | 500 | .18 ea. | | .25 ea. | 955.0 | 10 | 1.25 ea. | 1.75 ea. | | 1003.0 | 50 | 2.00 ea. | 2.40 ea. |
| 904.2 | 200 | .21 ea. | | .28 ea. | 955.2 | 10 | 2.00 ea. | 2.60 ea. | | 1003.2 | 25 | 2.75 ea. | 3.20 ea. |
| 905.0 | 500 | .08 ea. | | .10 ea. | 955.8 | 10 | 2.00 ea. | 2.60 ea. | | 1003.8 | 25 | 2.75 ea. | 3.20 ea. |
| 906.0 | 10 | 4.50 ea. | | 4.95 ea. | 956.0 | 10 | .85 ea. | 1.00 ea. | | 1004.0 | 5 | 6.00 ea. | 7.50 ea. |
| 907.0 | 500 | 3.75 C | | 4.25 C | 956.2 | 10 | 1.00 ea. | 1.20 ea. | | 1004.2 | 5 | 8.40 ea. | 9.60 ea. |
| 908.3 | 24 | .90 ea. | | 1.00 ea. | 956.8 | 10 | 1.00 ea. | 1.20 ea. | | 1004.8 | 5 | 8.40 ea. | 9.60 ea. |
| 908.4 | 12 | 2.50 ea. | | 3.00 ea. | 957.0 | 10 | 1.40 ea. | 1.75 ea. | | 1005.0 | 100 | 1.50 ea. | 1.70 ea. |
| 908.5 | 5 | 9.00 ea. | | 10.50 ea. | 957.2 | 10 | 2.00 ea. | 2.60 ea. | | 1005.2 | 25 | 2.20 ea. | 2.70 ea. |
| 909.0 | 500 | .75 C | | .95 C | 957.8 | 10 | 2.00 ea. | 2.60 ea. | | 1005.8 | 25 | 2.20 ea. | 2.70 ea. |
| 910.0 | 100 | .55 ea. | | .60 ea. | 958.0 | 10 | 1.00 ea. | 1.20 ea. | | 1006.0 | 25 | 1.15 ea. | 1.40 ea. |
| 911.0 | 200 | .18 ea. | | .25 ea. | 958.2 | 10 | 1.35 ea. | 1.65 ea. | | 1006.2 | 25 | 1.65 ea. | 1.90 ea. |
| 911.2 | 250 | .22 ea. | | .28 ea. | 958.8 | 10 | 1.35 ea. | 1.65 ea. | | 1006.8 | 25 | 1.65 ea. | 1.90 ea. |
| 912.0 | 200 | .18 ea. | | .25 ea. | 959.0 | 10 | .85 ea. | 1.00 ea. | | 1007.0 | 10 | 2.80 ea. | 3.60 ea. |
| 912.2 | 250 | .22 ea. | | .28 ea. | 959.2 | 10 | 1.00 ea. | 1.20 ea. | | 1007.2 | 10 | 4.00 ea. | 5.00 ea. |
| 913.0 | 10 | 1.10 ea. | | 1.15 ea. | 959.8 | 10 | 1.00 ea. | 1.20 ea. | | 1007.8 | 10 | 4.00 ea. | 5.00 ea. |
| 914.0 | 10 | 1.30 ea. | | 1.50 ea. | 960.0 | 10 | .85 ea. | 1.00 ea. | | 1008.0 | 10 | 2.00 ea. | 2.50 ea. |
| 916.0 | 500 | .08 ea. | | .10 ea. | 960.2 | 10 | 1.00 ea. | 1.20 ea. | | 1008.2 | 10 | 2.00 ea. | 2.50 ea. |
| 917.0 | 1000 | 1.85 C | | 2.00 C | 960.8 | 10 | 1.00 ea. | 1.20 ea. | | 1010.0 | 50 | .85 ea. | 1.00 ea. |
| 918.0 | 250 | .13 ea. | | .15 ea. | 961.0 | 10 | 1.15 ea. | 1.40 ea. | | 1010.2 | 30 | 1.12 ea. | 1.25 ea. |
| 919.0 | 250 | .25 ea. | | .35 ea. | 961.2 | 10 | 1.60 ea. | 1.95 ea. | | 1011.0 | 100 | .90 ea. | 1.00 ea. |
| 920.0 | 250 | .11 ea. | | .15 ea. | 961.8 | 10 | 1.60 ea. | 1.95 ea. | | 1011.2 | 25 | 1.25 ea. | 1.40 ea. |
| 920.2 | 250 | .13 ea. | | .17 ea. | 962.0 | 10 | 1.00 ea. | 1.20 ea. | | 1011.8 | 25 | 1.25 ea. | 1.40 ea. |
| 921.0 | 250 | .12 ea. | | .15 ea. | 962.2 | 10 | 1.35 ea. | 1.65 ea. | | 1014.0 | 25 | 1.65 ea. | 2.00 ea. |
| 921.2 | 250 | .14 ea. | | .17 ea. | 962.8 | 10 | 1.35 ea. | 1.65 ea. | | 1014.2 | 25 | 1.65 ea. | 2.00 ea. |
| 922.0 | 500 | .09 ea. | | .11 ea. | 963.0 | 10 | .85 ea. | 1.00 ea. | | 1015.0 | 100 | .50 ea. | .60 ea. |
| 922.2 | 250 | .10 ea. | | .12 ea. | 963.2 | 10 | 1.00 ea. | 1.20 ea. | | 1015.2 | 100 | .60 ea. | .75 ea. |
| 924.0 | 500 | .16 ea. | | .22 ea. | 963.8 | 10 | 1.00 ea. | 1.20 ea. | | 1015.8 | 100 | .60 ea. | .75 ea. |
| 924.2 | 200 | .19 ea. | | .24 ea. | 964.0 | 10 | 1.15 ea. | 1.40 ea. | | 1016.0 | 50 | 1.60 ea. | 1.85 ea. |
| 925.0 | 100 | .18 ea. | | .25 ea. | 964.2 | 10 | 1.60 ea. | 1.95 ea. | | 1016.2 | 25 | 2.10 ea. | 2.40 ea. |
| 925.2 | 200 | .20 ea. | | .28 ea. | 964.8 | 10 | 1.60 ea. | 1.95 ea. | | 1016.8 | 25 | 2.10 ea. | 2.40 ea. |
| 926.0 | 100 | .22 ea. | | .30 ea. | 965.0 | 5 | 2.00 ea. | 2.50 ea. | | 1017.0 | 100 | .80 ea. | .90 ea. |
| 926.2 | 200 | .25 ea. | | .33 ea. | 965.2 | 5 | 2.75 ea. | 3.50 ea. | | 1017.2 | 50 | 1.00 ea. | 1.20 ea. |
| 927.0 | 1000 | .11 ea. | | .13 ea. | 965.8 | 5 | 2.75 ea. | 3.50 ea. | | 1017.8 | 50 | 1.00 ea. | 1.20 ea. |
| 928.0 | 100 | .30 ea. | | .40 ea. | 966.0 | 5 | 3.10 ea. | 3.75 ea. | | 1018.0 | 25 | 1.90 ea. | 2.30 ea. |
| 928.2 | 100 | .36 ea. | | .44 ea. | 966.2 | 5 | 4.50 ea. | 5.40 ea. | | 1018.2 | 20 | 2.25 ea. | 2.75 ea. |
| 929.0 | 500 | .13 ea. | | .18 ea. | 966.8 | 5 | 4.50 ea. | 5.40 ea. | | 1019.0 | 25 | 1.60 ea. | 2.05 ea. |
| 929.2 | 300 | .16 ea. | | .20 ea. | 972.0 | 25 | .95 ea. | 1.12 ea. | | 1019.2 | 20 | 2.25 ea. | 2.85 ea. |
| 930.0 | 500 | .13 ea. | | .18 ea. | 972.1 | 25 | 1.15 ea. | 1.35 ea. | | 1020.0 | 50 | 1.40 ea. | 1.65 ea. |
| 930.2 | 300 | .14 ea. | | .20 ea. | 972.2 | 25 | .85 ea. | .95 ea. | | 1020.2 | 25 | 1.90 ea. | 2.25 ea. |
| 936.0 | 100 | .32 ea. | | .40 ea. | 972.3 | 25 | 1.00 ea. | 1.08 ea. | | 1020.8 | 25 | 1.90 ea. | 2.25 ea. |
| 936.2 | 100 | .36 ea. | | .44 ea. | 973.0 | 25 | 1.60 ea. | 1.85 ea. | | 1023.0 | 250 | .85 ea. | .95 ea. |
| 937.0 | 500 | .12 ea. | | .14 ea. | 973.1 | 25 | 1.85 ea. | 2.05 ea. | | 1023.2 | 100 | 1.10 ea. | 1.25 ea. |
| 937.2 | 500 | .12 ea. | | .15 ea. | 973.2 | 25 | 1.30 ea. | 1.40 ea. | | 1023.8 | 100 | 1.10 ea. | 1.25 ea. |
| 938.0 | 500 | .11 ea. | | .13 ea. | 973.3 | 25 | 1.60 ea. | 1.80 ea. | | 1025.0 | 100 | .70 ea. | .80 ea. |
| 938.2 | 500 | .12 ea. | | .14 ea. | 975.0 | 25 | .85 ea. | 1.03 ea. | | 1025.2 | 50 | .90 ea. | 1.10 ea. |
| 939.0 | 500 | .10 ea. | | .12 ea. | 975.1 | 25 | 1.10 ea. | 1.35 ea. | | 1025.8 | 50 | .90 ea. | 1.10 ea. |
| 939.2 | 500 | .11 ea. | | .13 ea. | 975.2 | 25 | .80 ea. | .90 ea. | | 1026.0 | 25 | 2.45 ea. | 2.95 ea. |
| 940.0 | 100 | .35 ea. | | .40 ea. | 975.3 | 25 | 1.05 ea. | 1.22 ea. | | 1026.2 | 25 | 3.00 ea. | 3.60 ea. |
| 940.2 | 100 | .36 ea. | | .44 ea. | 995.0 | 25 | .75 ea. | 1.00 ea. | | 1027.0 | 100 | 1.70 ea. | 1.95 ea. |
| 941.0 | 25 | .40 ea. | | .50 ea. | 995.2 | 25 | 1.00 ea. | 1.25 ea. | | 1027.2 | 50 | 2.40 ea. | 2.70 ea. |
| 941.2 | 100 | .45 ea. | | .55 ea. | 997.0 | 100 | .40 ea. | .50 ea. | | 1028.0 | 50* | 1.60 ea. | 1.70 ea. |
| 942.0 | 10 | 3.00 ea. | | 3.60 ea. | 997.2 | 100 | .47 ea. | .60 ea. | | 1028.2 | 25 | 2.10 ea. | 2.30 ea. |
| 943.0 | 10 | 4.00 ea. | | 4.55 ea. | 998.0 | 200 | .32 ea. | .40 ea. | | 1030.0 | 5 | 4.75 ea. | 5.75 ea. |
| 946.0 | 10 | 2.95 ea. | | 3.45 ea. | 998.2 | 200 | .45 ea. | .55 ea. | | 1030.2 | 5 | 6.25 ea. | 7.50 ea. |
| 950.0 | 10 | .85 ea. | | 1.00 ea. | 999.0 | 50 | 1.67 ea. | 2.07 ea. | | 1031.0 | 50 | 1.90 ea. | 2.16 ea. |
| 950.2 | 10 | 1.00 ea. | | 1.20 ea. | 999.2 | 50 | 2.10 ea. | 2.60 ea. | | 1031.2 | 25 | 2.60 ea. | 3.00 ea. |
| 950.8 | 10 | 1.00 ea. | | 1.20 ea. | 999.8 | 50 | 2.10 ea. | 2.60 ea. | | 1031.8 | 25 | 2.60 ea. | 3.00 ea. |

Telephone orders may be placed by calling 948-3354

| ITEM | SPECIAL PRICE IN QUANTITIES OF | | REG. PRICE | ITEM | SPECIAL PRICE IN QUANTITIES OF | | REG. PRICE | ITEM | SPECIAL PRICE IN QUANTITIES OF* | | REG. PRICE |
|--------|-----------------------------------|----------|---------------|--------|-----------------------------------|----------|---------------|--------|------------------------------------|----------|---------------|
| 1032.0 | 100 | .77 ea. | .92 ea. | 1066.0 | 10 | 2.75 ea. | 3.25 ea. | 1107.0 | 25 | 1.10 ea. | 1.30 ea. |
| 1032.2 | 100 | 1.00 ea. | 1.25 ea. | 1066.2 | 5 | 3.60 ea. | 4.25 ea. | 1107.2 | 15 | 1.45 ea. | 1.65 ea. |
| 1033.0 | 50 | .70 ea. | .85 ea. | 1067.0 | 25 | 1.40 ea. | 1.65 ea. | 1108.0 | 25 | 1.20 ea. | 1.40 ea. |
| 1033.2 | 50 | .80 ea. | .95 ea. | 1067.2 | 10 | 1.80 ea. | 2.05 ea. | 1108.2 | 15 | 1.40 ea. | 1.75 ea. |
| 1034.0 | 200 | .80 ea. | .90 ea. | 1067.8 | 10 | 1.80 ea. | 2.05 ea. | 1108.8 | 15 | 1.40 ea. | 1.75 ea. |
| 1034.2 | 50 | 1.15 ea. | 1.30 ea. | 1068.0 | 25 | 2.00 ea. | 2.25 ea. | 1109.0 | 50 | .65 ea. | .85 ea. |
| 1034.8 | 50 | 1.15 ea. | 1.30 ea. | 1068.2 | 10 | 2.75 ea. | 3.25 ea. | 1109.2 | 25 | .95 ea. | 1.10 ea. |
| 1035.0 | 5 | 1.15 ea. | 1.35 ea. | 1068.8 | 10 | 2.75 ea. | 3.25 ea. | 1109.8 | 25 | .95 ea. | 1.10 ea. |
| 1035.2 | 5 | 1.70 ea. | 2.10 ea. | 1074.0 | 10 | 2.40 ea. | 2.75 ea. | 1110.0 | 50 | .65 ea. | .85 ea. |
| 1036.0 | 50 | .75 ea. | .85 ea. | 1074.2 | 10 | 3.25 ea. | 3.60 ea. | 1110.2 | 25 | .95 ea. | 1.10 ea. |
| 1036.2 | 25 | .90 ea. | 1.10 ea. | 1074.8 | 10 | 3.25 ea. | 3.60 ea. | 1110.8 | 25 | .95 ea. | 1.10 ea. |
| 1036.8 | 25 | .90 ea. | 1.10 ea. | 1075.0 | 5 | 3.25 ea. | 3.60 ea. | 1111.0 | 100 | .80 ea. | .90 ea. |
| 1037.0 | 10 | 3.60 ea. | 4.00 ea. | 1075.2 | 5 | 4.25 ea. | 4.70 ea. | 1111.2 | 25 | 1.10 ea. | 1.20 ea. |
| 1037.2 | 10 | 5.00 ea. | 6.00 ea. | 1075.8 | 5 | 4.25 ea. | 4.70 ea. | 1111.8 | 25 | 1.10 ea. | 1.20 ea. |
| 1037.8 | 10 | 5.00 ea. | 6.00 ea. | 1078.0 | 25 | 2.30 ea. | 2.70 ea. | 1112.0 | 100 | .45 ea. | .55 ea. |
| 1038.0 | 25 | 1.35 ea. | 1.60 ea. | 1078.2 | 10 | 2.95 ea. | 3.20 ea. | 1112.2 | 100 | .50 ea. | .60 ea. |
| 1038.2 | 25 | 1.60 ea. | 2.05 ea. | 1078.8 | 10 | 2.95 ea. | 3.20 ea. | 1113.0 | 100 | .50 ea. | .60 ea. |
| 1040.0 | 50 | 1.10 ea. | 1.20 ea. | 1081.0 | 25 | 1.10 ea. | 1.30 ea. | 1113.2 | 100 | .60 ea. | .70 ea. |
| 1040.2 | 50 | 1.30 ea. | 1.55 ea. | 1081.2 | 10 | 1.55 ea. | 1.75 ea. | 1114.0 | 50 | 1.00 ea. | 1.15 ea. |
| 1041.0 | 200 | .80 ea. | .90 ea. | 1081.8 | 10 | 1.55 ea. | 1.75 ea. | 1114.2 | 50 | 1.15 ea. | 1.30 ea. |
| 1041.2 | 50 | 1.15 ea. | 1.30 ea. | 1082.0 | 25 | 1.10 ea. | 1.30 ea. | 1115.0 | 50 | 1.45 ea. | 1.65 ea. |
| 1041.8 | 50 | 1.15 ea. | 1.30 ea. | 1082.2 | 10 | 1.55 ea. | 1.75 ea. | 1115.2 | 50 | 1.70 ea. | 1.95 ea. |
| 1042.0 | 50 | .75 ea. | .85 ea. | 1082.8 | 10 | 1.55 ea. | 1.75 ea. | 1123.0 | 5 | 5.00 ea. | 5.75 ea. |
| 1042.1 | 50 | .75 ea. | .85 ea. | 1084.0 | 25 | 1.40 ea. | 1.55 ea. | 1123.2 | 5 | 6.50 ea. | 7.50 ea. |
| 1042.2 | 20 | .90 ea. | 1.10 ea. | 1084.2 | 10 | 1.75 ea. | 2.10 ea. | 1124.0 | 25 | .75 ea. | .85 ea. |
| 1042.3 | 20 | .90 ea. | 1.10 ea. | 1084.8 | 10 | 1.75 ea. | 2.10 ea. | 1124.2 | 25 | 1.05 ea. | 1.25 ea. |
| 1042.7 | 20 | .90 ea. | 1.10 ea. | 1085.0 | 50 | .55 ea. | .65 ea. | 1124.8 | 25 | 1.05 ea. | 1.25 ea. |
| 1042.8 | 20 | .90 ea. | 1.10 ea. | 1085.2 | 25 | .85 ea. | 1.10 ea. | 1125.0 | 15 | 2.80 ea. | 3.30 ea. |
| 1043.0 | 50 | 1.90 ea. | 2.16 ea. | 1087.0 | 25 | 2.00 ea. | 2.30 ea. | 1125.2 | 10 | 3.70 ea. | 4.25 ea. |
| 1043.2 | 25 | 2.60 ea. | 3.00 ea. | 1087.2 | 10 | 2.80 ea. | 3.20 ea. | 1125.8 | 10 | 3.70 ea. | 4.25 ea. |
| 1043.8 | 25 | 2.60 ea. | 3.00 ea. | 1087.8 | 10 | 2.80 ea. | 3.20 ea. | 1130.0 | 10 | 3.30 ea. | 3.60 ea. |
| 1046.0 | 50 | .80 ea. | .90 ea. | 1088.0 | 10 | .95 ea. | 1.15 ea. | 1130.2 | 10 | 4.00 ea. | 4.60 ea. |
| 1046.2 | 25 | 1.00 ea. | 1.25 ea. | 1088.2 | 10 | 1.30 ea. | 1.80 ea. | 1131.0 | 100 | 1.60 ea. | 1.85 ea. |
| 1047.0 | 25 | 2.45 ea. | 2.75 ea. | 1088.8 | 10 | 1.30 ea. | 1.80 ea. | 1131.2 | 25 | 1.80 ea. | 2.00 ea. |
| 1047.2 | 10 | 2.95 ea. | 3.35 ea. | 1089.0 | 10 | 2.85 ea. | 3.45 ea. | 1131.8 | 25 | 1.70 ea. | 2.00 ea. |
| 1048.0 | 25 | 2.35 ea. | 2.75 ea. | 1089.2 | 10 | 4.00 ea. | 4.85 ea. | 1132.0 | 50 | .80 ea. | .90 ea. |
| 1048.2 | 10 | 2.85 ea. | 3.35 ea. | 1089.8 | 10 | 4.00 ea. | 4.85 ea. | 1132.2 | 25 | 1.00 ea. | 1.15 ea. |
| 1049.0 | 50 | 1.35 ea. | 1.55 ea. | 1090.0 | 10 | 1.25 ea. | 1.55 ea. | 1133.0 | 25 | 2.25 ea. | 2.50 ea. |
| 1049.2 | 20 | 1.68 ea. | 1.95 ea. | 1090.2 | 10 | 1.90 ea. | 2.35 ea. | 1133.2 | 10 | 2.80 ea. | 3.30 ea. |
| 1049.8 | 20 | 1.68 ea. | 1.95 ea. | 1090.8 | 10 | 1.90 ea. | 2.35 ea. | 1133.8 | 10 | 2.80 ea. | 3.30 ea. |
| 1050.0 | 50 | 1.20 ea. | 1.35 ea. | 1091.0 | 25 | 1.30 ea. | 1.50 ea. | 1149.0 | 50 | .45 ea. | .55 ea. |
| 1050.2 | 20 | 1.50 ea. | 1.70 ea. | 1091.2 | 10 | 1.80 ea. | 2.10 ea. | 1149.2 | 25 | .65 ea. | .75 ea. |
| 1050.8 | 20 | 1.50 ea. | 1.70 ea. | 1093.0 | 25 | .95 ea. | .95 ea. | 1149.8 | 25 | .65 ea. | .75 ea. |
| 1051.0 | 25 | 2.50 ea. | 2.75 ea. | 1093.2 | 10 | 1.20 ea. | 1.40 ea. | 1150.0 | 100 | .50 ea. | .60 ea. |
| 1051.2 | 10 | 3.00 ea. | 3.60 ea. | 1093.8 | 10 | 1.20 ea. | 1.40 ea. | 1150.2 | 50 | .70 ea. | .80 ea. |
| 1052.0 | 25 | 1.55 ea. | 1.75 ea. | 1094.0 | 100 | .80 ea. | .90 ea. | 1150.8 | 50 | .70 ea. | .80 ea. |
| 1052.2 | 10 | 2.00 ea. | 2.40 ea. | 1094.2 | 50 | .95 ea. | 1.20 ea. | 1151.0 | 10 | 4.20 ea. | 6.00 ea. |
| 1054.0 | 10 | 2.20 ea. | 2.45 ea. | 1096.0 | 25 | .80 ea. | .95 ea. | 1151.2 | 5 | 5.40 ea. | 7.00 ea. |
| 1054.2 | 10 | 2.80 ea. | 3.30 ea. | 1096.2 | 10 | 1.20 ea. | 1.40 ea. | 1152.0 | 50 | 1.15 ea. | 1.25 ea. |
| 1054.8 | 10 | 2.80 ea. | 3.30 ea. | 1096.8 | 10 | 1.20 ea. | 1.40 ea. | 1152.2 | 50 | 1.45 ea. | 1.60 ea. |
| 1055.0 | 10 | 2.20 ea. | 2.45 ea. | 1097.0 | 25 | .80 ea. | .95 ea. | 1153.0 | 15 | 2.50 ea. | 2.90 ea. |
| 1055.2 | 10 | 2.80 ea. | 3.30 ea. | 1097.2 | 10 | 1.20 ea. | 1.40 ea. | 1153.2 | 10 | 3.20 ea. | 3.60 ea. |
| 1055.8 | 10 | 2.80 ea. | 3.30 ea. | 1100.0 | 50 | 1.40 ea. | 1.65 ea. | 1154.0 | 50 | .75 ea. | .90 ea. |
| 1056.0 | 10 | 2.20 ea. | 2.45 ea. | 1100.2 | 25 | 2.00 ea. | 2.25 ea. | 1154.2 | 25 | .95 ea. | 1.10 ea. |
| 1056.2 | 10 | 2.80 ea. | 3.30 ea. | 1100.8 | 25 | 2.00 ea. | 2.25 ea. | 1154.8 | 25 | .95 ea. | 1.10 ea. |
| 1056.8 | 10 | 2.80 ea. | 3.30 ea. | 1101.0 | 15 | 2.30 ea. | 2.80 ea. | 1155.0 | 100 | .55 ea. | .65 ea. |
| 1057.0 | 100 | .90 ea. | 1.05 ea. | 1101.2 | 10 | 3.10 ea. | 3.50 ea. | 1155.2 | 25 | .70 ea. | .90 ea. |
| 1057.2 | 50 | 1.15 ea. | 1.30 ea. | 1103.0 | 50 | 1.15 ea. | 1.40 ea. | 1155.8 | 25 | .70 ea. | .90 ea. |
| 1057.8 | 50 | 1.15 ea. | 1.30 ea. | 1103.2 | 25 | 1.40 ea. | 1.65 ea. | 1156.0 | 200 | .90 ea. | 1.35 ea. |
| 1058.0 | 100 | 1.45 ea. | 1.65 ea. | 1104.0 | 25 | 1.15 ea. | 1.40 ea. | 1156.2 | 50 | 1.50 ea. | 1.80 ea. |
| 1058.2 | 25 | 2.00 ea. | 2.25 ea. | 1104.2 | 15 | 1.40 ea. | 1.65 ea. | 1156.8 | 50 | 1.50 ea. | 1.80 ea. |
| 1058.8 | 25 | 2.00 ea. | 2.25 ea. | 1105.0 | 25 | .70 ea. | .80 ea. | 1157.0 | 200 | .85 ea. | .95 ea. |
| 1060.0 | 5 | 5.00 ea. | 5.75 ea. | 1105.2 | 10 | .90 ea. | 1.05 ea. | 1157.2 | 100 | 1.15 ea. | 1.30 ea. |
| 1060.2 | 5 | 6.50 ea. | 7.50 ea. | 1105.8 | 10 | .90 ea. | 1.05 ea. | 1157.8 | 100 | 1.15 ea. | 1.30 ea. |
| 1061.0 | 100 | .55 ea. | .65 ea. | 1106.0 | 25 | .80 ea. | .95 ea. | 1159.0 | 25 | 1.85 ea. | 2.20 ea. |
| 1061.2 | 100 | .70 ea. | .85 ea. | 1106.2 | 10 | 1.20 ea. | 1.40 ea. | 1159.2 | 10 | 2.35 ea. | 2.60 ea. |
| 1061.8 | 100 | .70 ea. | .85 ea. | 1106.8 | 10 | 1.20 ea. | 1.40 ea. | 1159.8 | 10 | 2.35 ea. | 2.60 ea. |

Telephone orders may be placed by calling 948-3354

TENNESSEE FABRICATING COMPANY

1490 GRIMES

MEMPHIS, TENNESSEE

| ITEM | SPECIAL PRICE IN QUANTITIES OF | | REG. PRICE | ITEM | SPECIAL PRICE IN QUANTITIES OF | | REG. PRICE | ITEM | SPECIAL PRICE IN QUANTITIES OF | | REG. PRICE |
|--------|-----------------------------------|----------|---------------|--------|-----------------------------------|----------|---------------|--------|-----------------------------------|----------|---------------|
| 1161.0 | 100 | .75 ea. | .85 ea. | 1202.0 | 5 | 6.00 ea. | 7.00 ea. | 1257.8 | 25 | 1.60 ea. | 1.70 ea. |
| 1161.2 | 50 | 1.00 ea. | 1.15 ea. | 1202.2 | 5 | 7.00 ea. | 8.00 ea. | 1259.0 | 20 | 1.65 ea. | 1.90 ea. |
| 1161.8 | 50 | 1.00 ea. | 1.15 ea. | 1204.0 | 200 | .80 ea. | .90 ea. | 1259.2 | 10 | 2.25 ea. | 3.00 ea. |
| 1162.5 | 10 | 2.00 ea. | 2.20 ea. | 1204.2 | 100 | 1.15 ea. | 1.40 ea. | 1260.0 | 100 | .50 ea. | .70 ea. |
| 1162.6 | 10 | 2.00 ea. | 2.20 ea. | 1204.8 | 100 | 1.15 ea. | 1.40 ea. | 1260.2 | 25 | .80 ea. | .90 ea. |
| 1162.7 | 5 | 2.40 ea. | 3.00 ea. | 1205.0 | 25 | 1.85 ea. | 2.05 ea. | 1260.8 | 25 | .80 ea. | .90 ea. |
| 1162.8 | 5 | 2.40 ea. | 3.00 ea. | 1205.2 | 25 | 2.25 ea. | 2.65 ea. | 1275.0 | 50 | .90 ea. | 1.05 ea. |
| 1163.0 | 10 | 4.20 ea. | 6.00 ea. | 1205.8 | 25 | 2.25 ea. | 2.65 ea. | 1275.2 | 20 | 1.25 ea. | 1.40 ea. |
| 1163.2 | 5 | 5.40 ea. | 7.00 ea. | 1206.0 | 50 | .60 ea. | .70 ea. | 1275.8 | 20 | 1.25 ea. | 1.40 ea. |
| 1164.0 | 10 | 4.10 ea. | 4.65 ea. | 1206.2 | 50 | .70 ea. | .90 ea. | 1279.0 | 5 | 4.20 ea. | 6.00 ea. |
| 1164.2 | 10 | 4.80 ea. | 5.65 ea. | 1206.8 | 50 | .70 ea. | .90 ea. | 1279.2 | 5 | 6.20 ea. | 8.00 ea. |
| 1164.8 | 10 | 4.80 ea. | 5.65 ea. | 1208.0 | 50 | .65 ea. | .75 ea. | 1279.8 | 5 | 6.20 ea. | 8.00 ea. |
| 1165.0 | 25 | 1.45 ea. | 1.65 ea. | 1208.2 | 20 | .85 ea. | 1.00 ea. | 1280.0 | 50 | .65 ea. | .70 ea. |
| 1165.2 | 15 | 1.75 ea. | 2.00 ea. | 1209.0 | 50 | .90 ea. | 1.00 ea. | 1280.2 | 20 | .85 ea. | .95 ea. |
| 1165.8 | 15 | 1.75 ea. | 2.00 ea. | 1209.2 | 25 | 1.10 ea. | 1.25 ea. | 1280.8 | 20 | .85 ea. | .95 ea. |
| 1166.0 | 10 | 4.10 ea. | 4.65 ea. | 1210.0 | 10 | .95 ea. | 1.10 ea. | 1281.0 | 5 | 7.00 ea. | 8.00 ea. |
| 1166.2 | 10 | 4.80 ea. | 5.65 ea. | 1210.2 | 10 | 1.20 ea. | 1.40 ea. | 1281.2 | 5 | 8.50 ea. | 10.00 ea. |
| 1166.8 | 10 | 4.80 ea. | 5.65 ea. | 1216.0 | 25 | 1.90 ea. | 2.15 ea. | 1281.8 | 5 | 8.50 ea. | 10.00 ea. |
| 1169.0 | 100 | .85 ea. | .95 ea. | 1216.2 | 25 | 2.50 ea. | 2.70 ea. | 1285.0 | 10 | 5.00 ea. | 5.80 ea. |
| 1169.2 | 25 | 1.05 ea. | 1.25 ea. | 1226.0 | 100 | .80 ea. | 1.00 ea. | 1285.2 | 10 | 6.10 ea. | 6.80 ea. |
| 1169.8 | 25 | 1.05 ea. | 1.25 ea. | 1226.2 | 25 | 1.15 ea. | 1.35 ea. | 1285.8 | 10 | 6.10 ea. | 6.80 ea. |
| 1171.0 | 10 | 2.50 ea. | 3.00 ea. | 1226.8 | 25 | 1.15 ea. | 1.35 ea. | 1286.0 | 25 | 3.10 ea. | 3.60 ea. |
| 1171.2 | 5 | 3.45 ea. | 3.80 ea. | 1227.0 | 25 | .80 ea. | 1.00 ea. | 1286.2 | 25 | 4.05 ea. | 4.50 ea. |
| 1171.8 | 5 | 3.45 ea. | 3.80 ea. | 1227.2 | 10 | 1.15 ea. | 1.25 ea. | 1286.8 | 25 | 4.05 ea. | 4.50 ea. |
| 1172.0 | 15 | 1.50 ea. | 1.75 ea. | 1228.0 | 100 | 1.00 ea. | 1.20 ea. | 1287.0 | 25 | 1.75 ea. | 2.10 ea. |
| 1172.2 | 10 | 1.85 ea. | 2.20 ea. | 1228.2 | 25 | 1.20 ea. | 1.40 ea. | 1287.2 | 25 | 2.00 ea. | 2.40 ea. |
| 1173.0 | 15 | 1.50 ea. | 1.75 ea. | 1228.8 | 25 | 1.20 ea. | 1.40 ea. | 1287.8 | 25 | 2.00 ea. | 2.40 ea. |
| 1173.2 | 10 | 1.85 ea. | 2.20 ea. | 1229.0 | 100 | .70 ea. | .75 ea. | 1288.0 | 100 | 2.30 ea. | 2.75 ea. |
| 1174.0 | 5 | 2.65 ea. | 3.10 ea. | 1229.2 | 25 | .95 ea. | 1.10 ea. | 1288.2 | 50 | 2.80 ea. | 3.25 ea. |
| 1174.2 | 5 | 3.40 ea. | 4.00 ea. | 1231.0 | 50 | 1.25 ea. | 1.40 ea. | 1288.8 | 50 | 2.80 ea. | 3.25 ea. |
| 1174.8 | 5 | 3.40 ea. | 4.00 ea. | 1231.2 | 10 | 1.70 ea. | 2.00 ea. | 1289.0 | 50 | .85 ea. | 1.00 ea. |
| 1176.0 | 5 | 2.65 ea. | 3.10 ea. | 1231.8 | 10 | 1.70 ea. | 2.00 ea. | 1289.2 | 50 | 1.20 ea. | 1.35 ea. |
| 1176.2 | 5 | 3.40 ea. | 4.00 ea. | 1244.0 | 25 | .85 ea. | 1.00 ea. | 1289.8 | 50 | 1.20 ea. | 1.35 ea. |
| 1176.8 | 5 | 3.40 ea. | 4.00 ea. | 1244.2 | 20 | 1.15 ea. | 1.35 ea. | 1301.0 | 25 | 1.25 ea. | 1.48 ea. |
| 1177.0 | 50 | .45 ea. | .55 ea. | 1244.8 | 20 | 1.15 ea. | 1.35 ea. | 1301.2 | 10 | 1.55 ea. | 1.70 ea. |
| 1177.2 | 20 | .60 ea. | .80 ea. | 1245.5 | 10 | 2.50 ea. | 3.00 ea. | 1304.0 | 5 | 2.20 ea. | 3.00 ea. |
| 1177.8 | 20 | .60 ea. | .80 ea. | 1245.6 | 10 | 2.50 ea. | 3.00 ea. | 1304.2 | 5 | 2.95 ea. | 3.25 ea. |
| 1178.0 | 25 | 1.20 ea. | 1.45 ea. | 1245.7 | 10 | 3.00 ea. | 3.60 ea. | 1304.8 | 5 | 2.95 ea. | 3.25 ea. |
| 1178.2 | 25 | 1.40 ea. | 1.75 ea. | 1245.8 | 10 | 3.00 ea. | 3.60 ea. | 1305.0 | 5 | 3.10 ea. | 4.00 ea. |
| 1179.0 | 25 | 1.20 ea. | 1.45 ea. | 1246.0 | 50 | 1.75 ea. | 1.90 ea. | 1305.2 | 5 | 4.60 ea. | 4.80 ea. |
| 1179.2 | 25 | 1.40 ea. | 1.75 ea. | 1246.2 | 25 | 2.20 ea. | 2.50 ea. | 1305.8 | 5 | 4.60 ea. | 4.80 ea. |
| 1180.0 | 25 | 1.40 ea. | 1.60 ea. | 1246.8 | 25 | 2.20 ea. | 2.50 ea. | 1306.0 | 5 | 2.20 ea. | 2.60 ea. |
| 1180.2 | 25 | 1.50 ea. | 1.80 ea. | 1247.0 | 40 | 2.70 ea. | 3.25 ea. | 1306.2 | 5 | 2.95 ea. | 3.12 ea. |
| 1181.2 | 25 | 1.50 ea. | 1.80 ea. | 1247.2 | 10 | 3.40 ea. | 3.60 ea. | 1306.8 | 5 | 2.95 ea. | 3.12 ea. |
| 1182.2 | 25 | 1.05 ea. | 1.25 ea. | 1247.8 | 10 | 3.40 ea. | 3.60 ea. | 1310.0 | 25 | 2.00 ea. | 2.48 ea. |
| 1183.2 | 25 | 1.05 ea. | 1.25 ea. | 1248.0 | 50 | .80 ea. | .90 ea. | 1310.2 | 15 | 2.90 ea. | 3.15 ea. |
| 1184.2 | 25 | .90 ea. | 1.10 ea. | 1249.0 | 50 | 1.90 ea. | 2.10 ea. | 1310.8 | 15 | 2.90 ea. | 3.15 ea. |
| 1185.2 | 25 | .90 ea. | 1.10 ea. | 1249.2 | 10 | 2.40 ea. | 2.70 ea. | 1311.0 | 25 | 2.50 ea. | 3.00 ea. |
| 1186.2 | 25 | .90 ea. | 1.10 ea. | 1249.8 | 10 | 2.40 ea. | 2.70 ea. | 1311.2 | 10 | 3.10 ea. | 3.60 ea. |
| 1187.2 | 25 | .90 ea. | 1.10 ea. | 1250.0 | 10 | 1.75 ea. | 2.00 ea. | 1311.8 | 10 | 3.10 ea. | 3.60 ea. |
| 1188.2 | 25 | .90 ea. | 1.10 ea. | 1250.2 | 10 | 2.20 ea. | 2.45 ea. | 1312.0 | 15 | 1.60 ea. | 2.03 ea. |
| 1189.2 | 25 | .90 ea. | 1.10 ea. | 1251.0 | 5 | 6.00 ea. | 7.00 ea. | 1312.2 | 10 | 2.30 ea. | 2.54 ea. |
| 1190.2 | 25 | 1.35 ea. | 1.50 ea. | 1251.2 | 5 | 7.00 ea. | 8.00 ea. | 1312.8 | 10 | 2.30 ea. | 2.54 ea. |
| 1191.2 | 25 | 1.35 ea. | 1.50 ea. | 1252.0 | 5 | 1.95 ea. | 2.20 ea. | 1317.0 | 5 | 4.75 ea. | 5.75 ea. |
| 1192.2 | 10 | 2.65 ea. | 3.00 ea. | 1252.2 | 5 | 2.55 ea. | 2.80 ea. | 1317.2 | 5 | 6.40 ea. | 7.25 ea. |
| 1193.2 | 25 | 1.35 ea. | 1.50 ea. | 1254.0 | 100 | 1.15 ea. | 1.30 ea. | 1317.8 | 5 | 6.40 ea. | 7.25 ea. |
| 1194.2 | 25 | 2.65 ea. | 3.00 ea. | 1254.2 | 25 | 1.50 ea. | 1.65 ea. | 1319.0 | 100 | 1.50 ea. | 1.75 ea. |
| 1195.2 | 25 | 2.80 ea. | 3.20 ea. | 1254.8 | 25 | 1.50 ea. | 1.65 ea. | 1319.2 | 25 | 2.00 ea. | 2.30 ea. |
| 1196.0 | 300 | .25 ea. | .30 ea. | 1255.0 | 25 | 1.10 ea. | 1.20 ea. | 1319.8 | 25 | 2.00 ea. | 2.30 ea. |
| 1196.2 | 200 | .35 ea. | .40 ea. | 1255.2 | 10 | 1.30 ea. | 1.40 ea. | 1321.0 | 10 | 2.10 ea. | 2.50 ea. |
| 1197.0 | 300 | .17 ea. | .20 ea. | 1255.8 | 10 | 1.30 ea. | 1.40 ea. | 1321.2 | 5 | 2.70 ea. | 3.05 ea. |
| 1197.2 | 200 | .30 ea. | .35 ea. | 1256.0 | 50 | 2.40 ea. | 2.60 ea. | 1321.8 | 5 | 2.70 ea. | 3.05 ea. |
| 1198.0 | 300 | .28 ea. | .35 ea. | 1256.2 | 10 | 2.90 ea. | 3.15 ea. | 1322.0 | 100 | 1.20 ea. | 1.40 ea. |
| 1198.2 | 200 | .40 ea. | .45 ea. | 1256.8 | 10 | 2.90 ea. | 3.15 ea. | 1322.2 | 25 | 1.75 ea. | 1.95 ea. |
| 1199.0 | 300 | .28 ea. | .30 ea. | 1257.0 | 50 | 1.15 ea. | 1.30 ea. | 1322.8 | 25 | 1.75 ea. | 1.95 ea. |
| 1199.2 | 200 | .35 ea. | .40 ea. | 1257.2 | 25 | 1.60 ea. | 1.70 ea. | 1325.0 | 10 | 2.90 ea. | 3.40 ea. |

Telephone orders may be placed by calling 948-3354

TENNESSEE FABRICATING COMPANY

1490 GRIMES

MEMPHIS, TENNESSEE

| ITEM | SPECIAL PRICE IN QUANTITIES OF | | REG. PRICE | ITEM | SPECIAL PRICE IN QUANTITIES OF | | REG. PRICE | ITEM | SPECIAL PRICE IN QUANTITIES OF | | REG. PRICE |
|--------|-----------------------------------|----------|---------------|--------|-----------------------------------|-----------|---------------|--------|-----------------------------------|----------|---------------|
| 1325.2 | 5 | 3.70 ea. | 4.00 ea. | 1371.2 | 25 | 1.75 ea. | 2.05 ea. | 1417.2 | 50 | .90 ea. | 1.20 ea. |
| 1325.8 | 5 | 3.70 ea. | 4.00 ea. | 1371.8 | 25 | 1.75 ea. | 2.05 ea. | 1418.0 | 100 | .75 ea. | 1.00 ea. |
| 1326.0 | 20 | 1.95 ea. | 2.25 ea. | 1372.0 | 100 | .60 ea. | .75 ea. | 1418.2 | 50 | .90 ea. | 1.20 ea. |
| 1326.2 | 10 | 2.65 ea. | 2.85 ea. | 1372.2 | 30 | .80 ea. | .90 ea. | 1419.0 | 100 | .60 ea. | .85 ea. |
| 1326.8 | 10 | 2.65 ea. | 2.85 ea. | 1374.0 | 100 | .60 ea. | .75 ea. | 1419.2 | 50 | .75 ea. | 1.02 ea. |
| 1327.0 | 25 | 1.45 ea. | 1.70 ea. | 1374.2 | 30 | .80 ea. | .90 ea. | 1420.0 | 100 | .60 ea. | .85 ea. |
| 1327.2 | 10 | 2.15 ea. | 2.35 ea. | 1375.0 | 100 | .60 ea. | .75 ea. | 1420.2 | 50 | .75 ea. | 1.02 ea. |
| 1327.8 | 10 | 2.15 ea. | 2.35 ea. | 1375.2 | 30 | .80 ea. | .90 ea. | 1421.0 | 100 | .60 ea. | .85 ea. |
| 1328.0 | 50 | 1.45 ea. | 1.70 ea. | 1376.0 | 1000 | .09 ea. | .10 ea. | 1421.2 | 50 | .75 ea. | 1.02 ea. |
| 1328.2 | 10 | 2.15 ea. | 2.40 ea. | 1376.2 | 500 | .13 ea. | .16 ea. | 1422.0 | 100 | .60 ea. | .85 ea. |
| 1336.0 | 5 | 2.00 ea. | 2.40 ea. | 1377.0 | 250 | .30 ea. | .35 ea. | 1422.2 | 50 | .75 ea. | 1.02 ea. |
| 1336.2 | 5 | 2.75 ea. | 3.20 ea. | 1377.2 | 200 | .45 ea. | .50 ea. | 1423.0 | 100 | .80 ea. | 1.00 ea. |
| 1336.8 | 5 | 2.75 ea. | 3.20 ea. | 1378.0 | 1000 | .07 ea. | .08 ea. | 1423.2 | 50 | 1.00 ea. | 1.20 ea. |
| 1337.0 | 25 | 1.05 ea. | 1.30 ea. | 1378.2 | 500 | .10 ea. | .12 ea. | 1424.0 | 100 | 1.45 ea. | 1.90 ea. |
| 1337.2 | 20 | 1.60 ea. | 1.90 ea. | 1380.0 | 1000 | .10 ea. | .11 ea. | 1424.2 | 50 | 2.00 ea. | 2.25 ea. |
| 1337.8 | 20 | 1.60 ea. | 1.90 ea. | 1380.2 | 500 | .14 ea. | .18 ea. | 1425.0 | 100 | 1.45 ea. | 1.90 ea. |
| 1338.0 | 25 | 1.80 ea. | 2.35 ea. | 1383.0 | 50 | 1.30 ea. | 1.46 ea. | 1425.2 | 25 | 2.00 ea. | 2.25 ea. |
| 1338.2 | 10 | 2.30 ea. | 2.75 ea. | 1383.2 | 20 | 1.75 ea. | 1.90 ea. | 1425.8 | 25 | 2.00 ea. | 2.25 ea. |
| 1338.8 | 10 | 2.30 ea. | 2.75 ea. | 1383.8 | 20 | 1.75 ea. | 1.90 ea. | 1426.0 | 100 | 1.45 ea. | 1.90 ea. |
| 1339.0 | 25 | 1.65 ea. | 2.00 ea. | 1388.0 | 25 | 2.35 ea. | 2.70 ea. | 1426.2 | 50 | 2.00 ea. | 2.25 ea. |
| 1339.2 | 20 | 2.20 ea. | 2.60 ea. | 1388.2 | 10 | 2.90 ea. | 3.50 ea. | 1426.8 | 50 | 2.00 ea. | 2.25 ea. |
| 1339.8 | 20 | 2.20 ea. | 2.60 ea. | 1388.8 | 10 | 2.90 ea. | 3.50 ea. | 1427.0 | 250 | .60 ea. | .75 ea. |
| 1343.0 | 50 | 1.80 ea. | 2.10 ea. | 1389.0 | 40 | 1.75 ea. | 2.00 ea. | 1427.2 | 250 | .60 ea. | .75 ea. |
| 1343.2 | 20 | 2.70 ea. | 3.10 ea. | 1389.2 | 20 | 2.00 ea. | 2.20 ea. | 1428.0 | 250 | .55 ea. | .70 ea. |
| 1343.8 | 20 | 2.70 ea. | 3.10 ea. | 1389.8 | 20 | 2.00 ea. | 2.20 ea. | 1428.2 | 250 | .55 ea. | .70 ea. |
| 1344.0 | 100 | .55 ea. | .65 ea. | 1390.0 | 25 | 2.40 ea. | 2.90 ea. | 1429.0 | 250 | .60 ea. | .75 ea. |
| 1344.2 | 20 | .75 ea. | .90 ea. | 1390.2 | 10 | 3.20 ea. | 3.92 ea. | 1429.2 | 250 | .60 ea. | .75 ea. |
| 1346.0 | 10 | .95 ea. | 1.15 ea. | 1390.8 | 10 | 3.20 ea. | 3.92 ea. | 1430.0 | 250 | .55 ea. | .70 ea. |
| 1346.2 | 5 | 1.30 ea. | 1.50 ea. | 1391.0 | 20 | 1.70 ea. | 2.03 ea. | 1430.2 | 250 | .55 ea. | .70 ea. |
| 1347.0 | 30 | .90 ea. | 1.05 ea. | 1391.2 | 10 | 2.15 ea. | 2.44 ea. | 1439.0 | 50 | 1.65 ea. | 1.80 ea. |
| 1347.2 | 10 | 1.30 ea. | 1.65 ea. | 1391.8 | 10 | 2.15 ea. | 2.44 ea. | 1439.2 | 25 | 2.00 ea. | 2.29 ea. |
| 1349.0 | 100 | .55 ea. | .70 ea. | 1393.0 | 50 | 1.40 ea. | 1.60 ea. | 1439.8 | 25 | 2.00 ea. | 2.29 ea. |
| 1349.2 | 20 | .70 ea. | .80 ea. | 1393.2 | 20 | 1.80 ea. | 2.05 ea. | 1443.0 | 5 | 2.35 ea. | 2.85 ea. |
| 1350.0 | 100 | .50 ea. | .65 ea. | 1393.8 | 20 | 1.80 ea. | 2.05 ea. | 1443.2 | 5 | 3.30 ea. | 3.74 ea. |
| 1350.2 | 50 | .60 ea. | .80 ea. | 1394.0 | 50 | 1.05 ea. | 1.20 ea. | 1457.0 | 25 | 1.30 ea. | 1.50 ea. |
| 1350.8 | 50 | .60 ea. | .80 ea. | 1394.2 | 10 | 1.35 ea. | 1.50 ea. | 1457.2 | 10 | 1.50 ea. | 1.82 ea. |
| 1351.0 | 50 | .70 ea. | .90 ea. | 1394.8 | 10 | 1.35 ea. | 1.50 ea. | 1457.8 | 10 | 1.50 ea. | 1.82 ea. |
| 1351.2 | 20 | .90 ea. | 1.10 ea. | 1397.0 | 100 | .50 ea. | .65 ea. | 1458.0 | 50 | 1.30 ea. | 1.50 ea. |
| 1353.0 | 100 | .60 ea. | .70 ea. | 1397.2 | 30 | .80 ea. | .90 ea. | 1458.2 | 25 | 1.75 ea. | 2.05 ea. |
| 1353.2 | 100 | .65 ea. | .75 ea. | 1398.0 | 100 | .55 ea. | .65 ea. | 1458.8 | 25 | 1.75 ea. | 2.05 ea. |
| 1356.0 | 100 | .60 ea. | .70 ea. | 1399.0 | 30 | .80 ea. | .90 ea. | 1459.0 | 100 | 1.30 ea. | 1.50 ea. |
| 1356.2 | 100 | .65 ea. | .75 ea. | 1400.0 | 30 | .80 ea. | .90 ea. | 1459.2 | 50 | 1.75 ea. | 2.24 ea. |
| 1358.0 | 100 | 1.45 ea. | 1.60 ea. | 1400.2 | 20 | 1.05 ea. | 1.25 ea. | 1459.8 | 50 | 1.75 ea. | 2.24 ea. |
| 1358.2 | 20 | 1.70 ea. | 2.05 ea. | 1400.8 | 20 | 1.05 ea. | 1.25 ea. | 1460.0 | 100 | 1.05 ea. | 1.35 ea. |
| 1358.8 | 20 | 1.70 ea. | 2.05 ea. | 1401.0 | 5 | 12.00 ea. | 15.00 ea. | 1460.2 | 50 | 1.25 ea. | 1.63 ea. |
| 1360.0 | 100 | 1.10 ea. | 1.25 ea. | 1401.2 | 3 | 15.00 ea. | 19.00 ea. | 1460.8 | 50 | 1.25 ea. | 1.63 ea. |
| 1360.2 | 25 | 1.30 ea. | 1.50 ea. | 1402.0 | 5 | 8.00 ea. | 10.00 ea. | 1468.0 | 25 | 1.05 ea. | 1.30 ea. |
| 1361.0 | 200 | .50 ea. | .60 ea. | 1402.2 | 5 | 10.00 ea. | 12.50 ea. | 1468.2 | 15 | 1.40 ea. | 1.72 ea. |
| 1361.2 | 100 | .60 ea. | .70 ea. | 1404.0 | 100 | .50 ea. | .60 ea. | 1469.0 | 100 | 1.00 ea. | 1.20 ea. |
| 1362.0 | 10 | 2.70 ea. | 3.25 ea. | 1404.2 | 50 | .60 ea. | .70 ea. | 1469.2 | 100 | 1.45 ea. | 1.55 ea. |
| 1362.2 | 5 | 3.20 ea. | 4.15 ea. | 1405.0 | 5 | 4.50 ea. | 5.53 ea. | 1470.0 | 100 | .90 ea. | 1.00 ea. |
| 1363.0 | 200 | .65 ea. | .75 ea. | 1405.2 | 5 | 6.00 ea. | 7.00 ea. | 1470.2 | 100 | 1.05 ea. | 1.15 ea. |
| 1363.2 | 100 | .80 ea. | .90 ea. | 1408.0 | 25 | 1.10 ea. | 1.30 ea. | 1471.0 | 200 | .75 ea. | .95 ea. |
| 1364.0 | 100 | .65 ea. | .75 ea. | 1408.2 | 10 | 1.40 ea. | 1.56 ea. | 1471.2 | 100 | .95 ea. | 1.20 ea. |
| 1364.2 | 50 | .75 ea. | .85 ea. | 1412.0 | 25 | 1.80 ea. | 2.25 ea. | 1473.0 | 20 | 1.90 ea. | 2.58 ea. |
| 1365.0 | 25 | 2.35 ea. | 2.75 ea. | 1412.2 | 10 | 2.20 ea. | 2.60 ea. | 1473.2 | 10 | 2.65 ea. | 3.34 ea. |
| 1365.2 | 10 | 3.20 ea. | 3.80 ea. | 1412.8 | 10 | 2.20 ea. | 2.60 ea. | 1474.0 | 250 | .25 ea. | .30 ea. |
| 1366.0 | 50 | 1.35 ea. | 1.55 ea. | 1413.0 | 50 | 1.45 ea. | 1.63 ea. | 1474.2 | 50 | .28 ea. | .35 ea. |
| 1366.2 | 20 | 1.75 ea. | 2.05 ea. | 1413.2 | 20 | 1.85 ea. | 2.00 ea. | 1475.0 | 100 | 1.20 ea. | 1.55 ea. |
| 1366.8 | 20 | 1.75 ea. | 2.05 ea. | 1414.0 | 100 | 1.50 ea. | 1.80 ea. | 1475.2 | 20 | 1.60 ea. | 1.87 ea. |
| 1368.0 | 50 | 1.80 ea. | 2.25 ea. | 1414.2 | 20 | 1.95 ea. | 2.15 ea. | 1475.8 | 20 | 1.60 ea. | 1.87 ea. |
| 1368.2 | 20 | 2.60 ea. | 3.00 ea. | 1414.8 | 20 | 1.95 ea. | 2.15 ea. | 1476.0 | 25 | .90 ea. | 1.20 ea. |
| 1368.8 | 20 | 2.60 ea. | 3.00 ea. | 1415.0 | 5 | 2.25 ea. | 2.80 ea. | 1476.2 | 25 | 1.15 ea. | 1.44 ea. |
| 1370.0 | 25 | 2.40 ea. | 2.75 ea. | 1415.2 | 5 | 2.90 ea. | 3.36 ea. | 1476.8 | 25 | 1.15 ea. | 1.44 ea. |
| 1370.2 | 10 | 3.20 ea. | 3.80 ea. | 1415.8 | 5 | 2.90 ea. | 3.36 ea. | 1482.0 | 200 | .80 ea. | .90 ea. |
| 1371.0 | 50 | 1.35 ea. | 1.55 ea. | 1417.0 | 100 | .75 ea. | 1.00 ea. | 1482.2 | 50 | 1.00 ea. | 1.20 ea. |

Telephone orders may be placed by calling 948-3354

TENNESSEE FABRICATING COMPANY

1490 GRIMES

MEMPHIS, TENNESSEE

| ITEM | SPECIAL PRICE IN QUANTITIES OF | | | REG. PRICE | ITEM | SPECIAL PRICE IN QUANTITIES OF | | | REG. PRICE | ITEM | SPECIAL PRICE IN QUANTITIES OF | | | REG. PRICE |
|--------|-----------------------------------|-----------|-----------|---------------|----------------------|-----------------------------------|----------|-----------------------------------|----------------------|-----------|-----------------------------------|--|--|---------------|
| 1482.8 | 50 | 1.00 ea. | 1.20 ea. | 1568.2 | 10 | 2.90 ea. | 3.60 ea. | 1630.2 | 25 | 1.75 ea. | 2.00 ea. | | | |
| 1483.0 | 25 | 1.20 ea. | 1.50 ea. | 1568.8 | 10 | 2.90 ea. | 3.60 ea. | 1631.2 | 25 | 1.75 ea. | 2.00 ea. | | | |
| 1483.2 | 10 | 1.60 ea. | 2.00 ea. | 1569.0 | 500 | .35 ea. | .45 ea. | 1639.0 | See Steel Price List | | | | | |
| 1484.0 | 10 | 2.40 ea. | 3.06 ea. | 1569.2 | 200 | .45 ea. | .60 ea. | 1640.0 | See Steel Price List | | | | | |
| 1484.2 | 6 | 3.25 ea. | 3.72 ea. | 1572.0 | 50 | 1.45 ea. | 2.00 ea. | 2100.4 | 24 | 2.83 gal. | 3.15 gal. | | | |
| 1497.0 | 10 | 1.90 ea. | 2.25 ea. | 1572.2 | 10 | 1.70 ea. | 2.40 ea. | 2100.5 | 4 | 2.74 gal. | 3.05 gal. | | | |
| 1497.2 | 10 | 2.35 ea. | 2.70 ea. | 1572.8 | 10 | 1.70 ea. | 2.40 ea. | 2100.6 | 2 | 2.65 gal. | 2.95 gal. | | | |
| 1498.0 | 200 | .40 ea. | .50 ea. | 1577.0 | 100 | .65 ea. | .80 ea. | 2101.4 | 24 | 2.83 gal. | 3.15 gal. | | | |
| 1498.2 | 100 | .55 ea. | .65 ea. | 1577.2 | 50 | .85 ea. | 1.00 ea. | 2101.5 | 4 | 2.74 gal. | 3.05 gal. | | | |
| 1500.0 | 50 | .65 ea. | .85 ea. | 1577.8 | 50 | .85 ea. | 1.00 ea. | 2101.6 | 2 | 2.65 gal. | 2.95 ea. | | | |
| 1500.2 | 15 | .70 ea. | 1.00 ea. | 1578.0 | 100 | .60 ea. | .80 ea. | 2102.2 | 48 | .76 pt. | .85 pt. | | | |
| 1501.0 | 50 | 1.25 ea. | 1.65 ea. | 1578.2 | 50 | .85 ea. | 1.00 ea. | 2102.3 | 48 | 1.35 qt. | 1.50 qt. | | | |
| 1501.2 | 10 | 1.50 ea. | 2.00 ea. | 1578.8 | 50 | .85 ea. | 1.00 ea. | 2102.4 | 12 | 4.01 gal. | 4.46 gal. | | | |
| 1502.0 | 10 | 1.40 ea. | 1.98 ea. | 1579.0 | 100 | .85 ea. | 1.00 ea. | 2102.5 | 4 | 3.92 gal. | 4.36 gal. | | | |
| 1502.2 | 10 | 1.90 ea. | 2.48 ea. | 1579.2 | 50 | 1.10 ea. | 1.25 ea. | 2102.6 | 2 | 3.83 gal. | 4.26 gal. | | | |
| 1503.0 | 25 | .90 ea. | 1.15 ea. | 1580.0 | 25 | 1.20 ea. | 1.48 ea. | 2103.2 | 48 | .76 pt. | .85 pt. | | | |
| 1503.2 | 20 | 1.25 ea. | 1.55 ea. | 1580.2 | 10 | 1.45 ea. | 2.00 ea. | 2103.3 | 48 | 1.35 qt. | 1.50 qt. | | | |
| 1504.0 | 100 | .65 ea. | .96 ea. | 1584.0 | 5 | 5.00 ea. | 6.25 ea. | 2103.4 | 12 | 4.01 gal. | 4.46 gal. | | | |
| 1504.2 | 20 | .85 ea. | 1.15 ea. | 1584.2 | 5 | 6.75 ea. | 7.85 ea. | 2103.5 | 4 | 3.92 gal. | 4.36 gal. | | | |
| 1509.0 | 20 | 1.35 ea. | 1.77 ea. | 1584.8 | 5 | 6.75 ea. | 7.85 ea. | 2103.6 | 2 | 3.83 gal. | 4.26 gal. | | | |
| 1509.2 | 10 | 1.70 ea. | 2.05 ea. | 1591.0 | 20 | 2.40 ea. | 3.00 ea. | 2104.2 | 48 | .76 pt. | .85 pt. | | | |
| 1509.8 | 10 | 1.70 ea. | 2.05 ea. | 1591.2 | 15 | 3.10 ea. | 3.60 ea. | 2104.3 | 48 | 1.35 qt. | 1.50 qt. | | | |
| 1513.0 | 25 | 1.85 ea. | 2.25 ea. | 1591.8 | 15 | 3.10 ea. | 3.60 ea. | 2104.4 | 12 | 4.01 gal. | 4.46 gal. | | | |
| 1513.2 | 25 | 2.40 ea. | 2.75 ea. | 1600.5 | 25 | 1.30 ea. | 1.50 ea. | 2104.5 | 4 | 3.92 gal. | 4.36 gal. | | | |
| 1514.0 | 25 | 1.45 ea. | 1.80 ea. | 1600.6 | 25 | 1.30 ea. | 1.50 ea. | 2104.6 | 2 | 3.83 gal. | 4.26 gal. | | | |
| 1514.2 | 25 | 1.90 ea. | 2.30 ea. | 1601.5 | 25 | 1.10 ea. | 1.25 ea. | 2105.2 | 48 | .76 pt. | .85 pt. | | | |
| 1517.0 | 25 | 1.85 ea. | 2.25 ea. | 1601.6 | 25 | 1.10 ea. | 1.25 ea. | 2105.3 | 48 | 1.35 qt. | 1.50 qt. | | | |
| 1517.2 | 10 | 2.40 ea. | 2.75 ea. | 1602.0 | 25 | 1.85 ea. | 2.10 ea. | 2105.4 | 12 | 4.01 gal. | 4.46 gal. | | | |
| 1522.0 | 100 | 1.20 ea. | 1.36 ea. | 1603.5 | 25 | 1.70 ea. | 1.95 ea. | 2105.5 | 4 | 3.92 gal. | 4.36 gal. | | | |
| 1522.2 | 50 | 1.40 ea. | 1.63 ea. | 1603.6 | 25 | 1.70 ea. | 1.95 ea. | 2106.2 | 48 | .76 pt. | .85 pt. | | | |
| 1533.0 | 200 | .40 ea. | .50 ea. | 1604.0 | 100 | .60 ea. | .75 ea. | 2106.3 | 48 | 1.35 qt. | 1.50 qt. | | | |
| 1533.2 | 100 | .55 ea. | .75 ea. | 1605.0 | 100 | .60 ea. | .75 ea. | 2106.4 | 12 | 4.01 gal. | 4.46 gal. | | | |
| 1533.8 | 100 | .55 ea. | .75 ea. | 1606.0 | 100 | .40 ea. | .50 ea. | 2106.5 | 4 | 3.92 gal. | 4.36 gal. | | | |
| 1534.0 | 5 | 8.50 ea. | 10.00 ea. | 1607.0 | 50 | .70 ea. | .85 ea. | 2106.6 | 2 | 3.83 gal. | 4.26 gal. | | | |
| 1534.2 | 5 | 10.00 ea. | 12.50 ea. | 1608.0 | 50 | .60 ea. | .75 ea. | 2107.2 | 48 | .76 pt. | .85 pt. | | | |
| 1534.8 | 5 | 10.00 ea. | 12.50 ea. | 1609.0 | 50 | .60 ea. | .75 ea. | 2107.3 | 48 | 1.35 qt. | 1.50 qt. | | | |
| 1538.0 | 200 | .55 ea. | .70 ea. | 1610.0 | See Steel Price List | | | 2107.4 | 12 | 4.01 gal. | 4.46 gal. | | | |
| 1538.2 | 50 | .70 ea. | .80 ea. | 1611.0 | 100 | .50 ea. | .65 ea. | 2107.5 | 4 | 3.92 gal. | 4.36 gal. | | | |
| 1545.0 | 50 | 1.30 ea. | 1.64 ea. | 1612.0 | 100 | .50 ea. | .65 ea. | 2108.2 | 48 | .76 pt. | .85 pt. | | | |
| 1545.2 | 15 | 1.70 ea. | 2.23 ea. | 1613.0 | 100 | .45 ea. | .60 ea. | 2108.3 | 48 | 1.35 qt. | 1.50 qt. | | | |
| 1545.8 | 15 | 1.70 ea. | 2.23 ea. | 1614.0 | 100 | .12 ea. | .14 ea. | 2108.4 | 12 | 4.01 gal. | 4.46 gal. | | | |
| 1547.0 | 5 | 8.00 ea. | 9.50 ea. | 1615.0 | 100 | .18 ea. | .22 ea. | 2108.5 | 4 | 3.92 gal. | 4.36 gal. | | | |
| 1547.2 | 5 | 11.00 ea. | 13.00 ea. | 1616.0 | 200 | .45 ea. | .60 ea. | 2109.2 | 48 | .76 pt. | .85 pt. | | | |
| 1547.8 | 5 | 11.00 ea. | 13.00 ea. | 1616.2 | 200 | .45 ea. | .60 ea. | 2109.3 | 48 | 1.35 qt. | 1.50 qt. | | | |
| 1548.0 | 5 | 9.00 ea. | 12.55 ea. | 1617.0 | 200 | .67 ea. | .75 ea. | 2109.4 | 12 | 4.01 gal. | 4.46 gal. | | | |
| 1548.2 | 3 | 12.50 ea. | 15.00 ea. | 1617.2 | 200 | .60 ea. | .75 ea. | 2109.5 | 4 | 3.92 gal. | 4.36 gal. | | | |
| 1548.8 | 3 | 12.50 ea. | 15.00 ea. | 1618.0 | 125 | 1.25 ea. | 1.40 ea. | 2110.2 | 48 | .76 pt. | .85 pt. | | | |
| 1549.0 | 10 | 2.10 ea. | 2.57 ea. | 1618.2 | 25 | 1.55 ea. | 1.75 ea. | 2110.3 | 48 | 1.35 qt. | 1.50 qt. | | | |
| 1549.2 | 5 | 2.70 ea. | 3.25 ea. | 1619.0 | 100 | .85 ea. | 1.00 ea. | 2110.4 | 12 | 4.01 gal. | 4.46 gal. | | | |
| 1549.8 | 5 | 2.70 ea. | 3.25 ea. | 1619.2 | 100 | 1.10 ea. | 1.25 ea. | 2110.5 | 4 | 3.92 gal. | 4.36 gal. | | | |
| 1551.0 | 5 | 7.00 ea. | 8.50 ea. | 1620.0 | 25 | 1.05 ea. | 1.20 ea. | 2116.1 | 24 | .71 ½ pt. | .79 ½ pt. | | | |
| 1551.2 | 3 | 13.00 ea. | 15.00 ea. | 1620.2 | 25 | 1.25 ea. | 1.40 ea. | 2116.3 | 6 | 2.61 qt. | 2.90 qt. | | | |
| 1552.0 | 100 | .40 ea. | .55 ea. | 1621.0 | 100 | .85 ea. | 1.00 ea. | 2117.1 | 24 | .71 ½ pt. | .79 ½ pt. | | | |
| 1552.2 | 40 | .55 ea. | .72 ea. | 1621.2 | 100 | 1.10 ea. | 1.25 ea. | 2117.3 | 6 | 2.61 qt. | 2.90 qt. | | | |
| 1559.0 | 5 | 12.00 ea. | 15.00 ea. | 1621.8 | 100 | 1.10 ea. | 1.25 ea. | 2118.1 | 24 | .71 ½ pt. | .79 ½ pt. | | | |
| 1559.2 | 5 | 15.00 ea. | 18.00 ea. | 1622.0 | 50 | 1.70 ea. | 1.95 ea. | 2118.3 | 6 | 2.61 qt. | 2.90 qt. | | | |
| 1561.0 | 5 | 12.00 ea. | 15.00 ea. | 1622.2 | 25 | 2.00 ea. | 2.25 ea. | 2119.1 | 24 | .71 ½ pt. | .79 ½ pt. | | | |
| 1561.2 | 5 | 15.00 ea. | 18.00 ea. | 1624.0 | 100 | 1.65 ea. | 1.80 ea. | 2119.3 | 6 | 2.61 qt. | 2.90 qt. | | | |
| 1561.8 | 5 | 15.00 ea. | 18.00 ea. | 1624.2 | 50 | 2.00 ea. | 2.25 ea. | 2125.1 | 24 | .71 ½ pt. | .79 ½ pt. | | | |
| 1566.0 | 10 | 4.00 ea. | 5.00 ea. | 1625.0 | 100 | 1.65 ea. | 1.80 ea. | 2126.2 | 48 | .40 pt. | .45 pt. | | | |
| 1566.2 | 5 | 5.00 ea. | 6.00 ea. | 1625.2 | 50 | 2.00 ea. | 2.25 ea. | 2126.3 | 48 | .54 qt. | .60 qt. | | | |
| 1566.8 | 5 | 5.00 ea. | 6.00 ea. | 1625.8 | 50 | 2.00 ea. | 2.25 ea. | 2126.4 | 24 | 1.21 gal. | 1.35 gal. | | | |
| 1567.0 | 25 | 2.40 ea. | 3.00 ea. | 1627.0 | 200 | .25 ea. | .30 ea. | 2126.5 | 2 | 1.12 gal. | 1.25 gal. | | | |
| 1567.2 | 10 | 3.00 ea. | 3.60 ea. | 1627.2 | 200 | .30 ea. | .35 ea. | See next page for steel stampings | | | | | | |
| 1567.8 | 10 | 3.00 ea. | 3.60 ea. | 1629.0 | 25 | 1.65 ea. | 1.80 ea. | | | | | | | |
| 1568.0 | 20 | 2.40 ea. | 3.00 ea. | 1629.2 | 25 | 2.00 ea. | 2.25 ea. | | | | | | | |

Telephone orders may be placed by calling 948-3354

| | | | | | | | |
|--------|------|--------|---------|--------|----|----------|----------|
| 2521.1 | 5000 | 1.10 C | 1.30 C | 8264.2 | | | |
| 2521.2 | 5000 | 1.10 C | 1.30 C | 8264.2 | | | |
| 2522.2 | 5000 | 1.70 C | 2.50 C | 8266.0 | 10 | | |
| 2524.2 | 5000 | 1.90 C | 3.12 C | 8266.2 | 10 | 1.10 | |
| 2525.2 | 5000 | 1.90 C | 3.12 C | 8268.0 | 10 | 1.50 ea. | |
| 2526.2 | 5000 | 1.20 C | 1.82 C | 8268.2 | 10 | 1.80 ea. | 2.10 |
| 2527.2 | 5000 | 1.70 C | 2.60 C | 8270.0 | 10 | 2.20 ea. | 2.55 ea. |
| 2528.1 | 5000 | 4.40 C | 7.28 C | 8270.2 | 10 | 2.35 ea. | 3.00 ea. |
| 2528.2 | 5000 | 2.20 C | 3.64 C | 8274.0 | 10 | .70 ea. | .85 ea. |
| 2529.1 | 5000 | 3.00 C | 4.94 C | 8274.2 | 10 | .80 ea. | .95 ea. |
| 2529.2 | 5000 | 1.80 C | 2.86 C | 8276.0 | 10 | .95 ea. | 1.15 ea. |
| 2530.1 | 5000 | 4.50 C | 7.54 C | 8276.2 | 10 | 1.10 ea. | 1.30 ea. |
| 2530.2 | 5000 | 2.60 C | 4.16 C | 8278.0 | 10 | 1.50 ea. | 1.80 ea. |
| 2531.2 | 5000 | 1.90 C | 3.12 C | 8278.2 | 10 | 1.80 ea. | 2.10 ea. |
| 2532.1 | 5000 | 3.20 C | 5.20 C | 8280.0 | 10 | 2.25 ea. | 2.55 ea. |
| 2532.2 | 5000 | 2.10 C | 3.38 C | 8280.2 | 10 | 2.35 ea. | 3.00 ea. |
| 2533.1 | 5000 | 3.70 C | 6.24 C | 8284.0 | 10 | .70 ea. | .85 ea. |
| 2533.2 | 5000 | 2.10 C | 3.64 C | 8284.2 | 10 | .80 ea. | .95 ea. |
| 2534.2 | 5000 | 2.30 C | 3.90 C | 8286.0 | 10 | .95 ea. | 1.15 ea. |
| 2535.2 | 5000 | 6.30 C | 10.40 C | 8286.2 | 10 | 1.10 ea. | 1.30 ea. |
| 2536.2 | 5000 | 2.20 C | 3.64 C | 8288.0 | 10 | 1.50 ea. | 1.80 ea. |
| 2537.2 | 5000 | 5.40 C | 9.10 C | 8288.2 | 10 | 1.80 ea. | 2.10 ea. |
| 2538.2 | 5000 | 6.30 C | 10.40 C | | | | |
| 2543.2 | 5000 | 6.30 C | 10.40 C | | | | |
| 2539.2 | 5000 | 2.30 C | 3.90 C | | | | |
| 2540.2 | 5000 | 3.90 C | 6.50 C | | | | |
| 2541.2 | 5000 | 3.90 C | 6.50 C | | | | |
| 2542.2 | 5000 | 1.30 C | 2.08 C | | | | |
| 2548.2 | 5000 | 2.80 C | 4.50 C | | | | |

Stampings purchased at special price will be shipped f.o.b. Philadelphia

Special price on letters is for the purchase of one letter or number, one style. Example 10 - A's

Write for information on machinery and equipment for ornamental metal shop.

Mr. Fabricator:

Use this catalog to help sell your customers. Its illustrations and designs will help you do the job. If you need any assistance, TFC sales personnel and designers are at your disposal.

Telephone orders may be placed by calling 948-3354

TENNESSEE FABRICATING COMPANY



1490 GRIMES



MEMPHIS, TENNESSEE

BOHNER'S WELDING SHOP
 140 W. Beresford, DeLand, Fla.
 Call RE 4-3881

From the reproduction of a simple design or a rare old masterpiece — to the creation of an entirely new decor, TFC Design Engineers are expert craftsmen. Each Ornamental Metal design and the use of the design is planned and executed for the correct use in every situation, so that your ornamental metal is perfectly

OUR ORNAM

WRITE TO TFC FOR A BEAUTIFUL, COMPLETE CATALOG OF THESE PROFIT-MAKING PRODUCTS

BOHNER'S WELDING SHOP
 140 W. Beresford, DeLand, Fla.
 Call RE 4-3881

FABRICATOR SALES ASSISTANCE FROM

TFC

DESIGN SERVICE—A completely staffed custom design department is at your disposal. Years of experience can be yours for the asking from the simplest to the most complex job. Complete drawings and quotations are readily available.

SALES AIDS—Colorful, desire building sales literature can be had for the asking. Many of these pieces can be overprinted with your company name. Just think of the savings! And, you can sell merchandise from every piece of this material.

PROBLEM SOLVING—The TFC sales service personnel will assist you with any problems you may have. Whether it be about paint or product machinery or construction, we shall be happy to offer our assistance.

We at Tennessee Fabricating Company want to help you sell your products at a profit to you. And, if there is any way we can help you, we shall be happy to do so.

Call us collect . . . Area Code 901 . . . 948-3355
 For Prompt Order Service

TFC Design
 with you from
 for creation of
 selection of



TENNESSEE FABRICATING COMPANY

1490 GRIMES STREET

MEMPHIS 6, TENNESSEE